

---

---

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Motivation	1
1.2	Our main theorems	2
1.3	$(\varphi, \Gamma)$ -modules with coefficients	4
1.4	Families of extensions	5
1.5	Crystalline lifts	6
1.6	Crystalline and semistable moduli stacks	9
1.7	The geometric Breuil–Mézard conjecture and the weight part of Serre’s conjecture	10
1.8	Further questions	12
1.9	Previous work	13
1.10	An outline of the book	14
1.11	Acknowledgments	15
1.12	Notation and conventions	16
<b>2</b>	<b>Rings and coefficients</b>	<b>19</b>
2.1	Rings	19
2.2	Coefficients	25
2.3	Almost Galois descent for profinite group actions	35
2.4	An application of almost Galois descent	45
2.5	Étale $\varphi$ -modules	47
2.6	Frobenius descent	48
2.7	$(\varphi, \Gamma)$ -modules	52
<b>3</b>	<b>Moduli stacks of <math>\varphi</math>-modules and <math>(\varphi, \Gamma)</math>-modules</b>	<b>56</b>
3.1	Moduli stacks of $\varphi$ -modules	56
3.2	Moduli stacks of $(\varphi, \Gamma)$ -modules	58
3.3	Weak Wach modules	66
3.4	$\mathcal{X}_d$ is an Ind-algebraic stack	69
3.5	Canonical actions and weak Wach modules	74
3.6	The connection with Galois representations	76
3.7	$(\varphi, G_K)$ -modules and restriction	80
3.8	Tensor products and duality	84

<b>4</b>	<b>Crystalline and semistable moduli stacks</b>	<b>85</b>
4.1	Notation	85
4.2	Breuil–Kisin modules and Breuil–Kisin–Fargues modules	85
4.3	Canonical extensions of $G_{K_\infty}$ -actions	88
4.4	Breuil–Kisin–Fargues $G_K$ -modules and canonical actions	92
4.5	Stacks of semistable and crystalline Breuil–Kisin–Fargues modules	93
4.6	Inertial types	104
4.7	Hodge–Tate weights	106
4.8	Moduli stacks of potentially semistable representations	115
<b>5</b>	<b>Families of extensions</b>	<b>125</b>
5.1	The Herr complex	125
5.2	Residual gerbes and isotrivial families	141
5.3	Twisting families	142
5.4	Dimensions of families of extensions	149
5.5	$\mathcal{X}_d$ is a formal algebraic stack	157
<b>6</b>	<b>Crystalline lifts and the finer structure of <math>\mathcal{X}_{d,\text{red}}</math></b>	<b>166</b>
6.1	The fiber dimension of $H^2$ on crystalline deformation rings	166
6.2	Two geometric lemmas	168
6.3	Crystalline lifts	172
6.4	Potentially diagonalizable crystalline lifts	175
6.5	The irreducible components of $\mathcal{X}_{d,\text{red}}$	178
6.6	Closed points	180
6.7	The substack of $G_K$ -representations	182
<b>7</b>	<b>The rank 1 case</b>	<b>185</b>
7.1	Preliminaries	185
7.2	Moduli stacks in the rank 1 case	191
7.3	A ramification bound	197
<b>8</b>	<b>A geometric Breuil–Mézard conjecture</b>	<b>211</b>
8.1	The qualitative geometric Breuil–Mézard conjecture	212
8.2	Semistable and crystalline inertial types	214
8.3	The relationship between the numerical, refined and geometric Breuil–Mézard conjectures	215
8.4	The weight part of Serre’s conjecture	217
8.5	The case of $\text{GL}_2(\mathbf{Q}_p)$	218
8.6	$\text{GL}_2(K)$ : potentially Barsotti–Tate types	218
8.7	Brief remarks on $\text{GL}_d$ , $d > 2$	223
<b>A</b>	<b>Formal algebraic stacks</b>	<b>225</b>
<b>B</b>	<b>Graded modules and rigid analysis</b>	<b>242</b>

<b>C</b>	<b>Topological groups and modules</b>	<b>257</b>
<b>D</b>	<b>Tate modules and continuity</b>	<b>261</b>
<b>E</b>	<b>Points, residual gerbes, and isotrivial families</b>	<b>275</b>
<b>F</b>	<b>Breuil–Kisin–Fargues modules and potentially semistable representations (by Toby Gee and Tong Liu)</b>	<b>279</b>
	<b>Bibliography</b>	<b>289</b>
	<b>Index</b>	<b>297</b>