


International Thermal Spray
ITSC 2016
 Conference & Exposition

May 10 – 12, 2016, Shanghai/P.R. China



DVS-BERICHTE




Photo: Oerlikon Metco AG, Wohlen/Switzerland

Conference Abstracts

(including manuscripts on USB-Stick)

Organizers:

- DVS – German Welding Society
- ASM International – Thermal Spray Society (TSS)
- IIW – International Institute of Welding



Supporting Societies:



Media Sponsors:



Table of contents

Preface

Time Schedule

Lectures

Cold Gas Spraying I

Analytical evaluation of temperature distribution within a substrate under an impinging cold spray hot air jet 1
A. Mahdavi and A. McDonald, Edmonton/CA

Cold spray of agglomerated submicronic hydroxyapatite powders for biomedical applications 1
D. Moreau, L. Corté, F. Borit and V. Guipont, Evry/FR

High deposition efficiency additive manufacturing of titanium using low pressure nitrogen cold spray 1
D. MacDonald, R. Fernández, F. Delloro and B. Jodoin, Ottawa/CA

Novel Industrial Application

Anti-icing behaviour of thermally sprayed polymer coatings 2
H. Koivuluoto, C. Stenroos, M. Kylmälahti and P. Vuoristo, Tampere/FI

Investigation of influencing factors on the transfer of wire arc sprayed Zn coatings for the metallisation of plastic parts 2
K. Bobzin, M. Öte, M. A. Knoch, X. Liao, C. Hopmann and P. Ochotta, Aachen/DE

Process Diagnostics, Sensors & Controls

Improved reliability and specific design of plasma spray processes 2
G. Mauer, K.-H. Rauwald, R. Mücke and R. Vaßen Jülich/DE

Particle in-flight velocity and dispersion measurements at increasing particle feed rates in Cold Spray 3
M. Meyer, S. Yin and R. Lupoi, Dublin/IE

Gas and particle investigations during wire arc spraying process 3
M. Szulc, J. Zierhut, A. Atzberger, J. Schaup, K. Hartz-Behrend, S. Zimmermann, J. Schein, Munich/DE, W. Krömmer, F. Lang, Unterschleißheim/DE, and W. Mayr, Munich/DE

Effects of spray kinetic parameters on coating properties in plasma spray process 3
T. Liu, Y. Ma, L. Zheng, H. Zhang and G. Zhang, Beijing/CN

Ceramic Coatings I

Synthesis and thermophysical properties of $Gd_2Zr_2O_7/SrZrO_3$ composite as a thermal barrier coating material 4
W. Ma, L.-L. Cai, H.-Y. Dong, Y. Bai, Y.-C. Yin and X.-H. Li, Hohhot/CN

Heat-shock properties in yttrium-oxide films synthesized from metal-ethylenediamine tetraacetic acid complex through flame-spray apparatus 4
D. Y. Enkin, K. Komatsu, K. Abe, T. Kosuta, Y. Ikeda, A. Nakamura, S. Ohshio and H. Saitoh, Nagaoka/JP

Super-hydrophobic surface prepared by lanthanide oxide ceramics deposition through PS-PVD process 4
J. Li, C. X. Li and Q. Y. Chen, Xi'an/CN

ZrB₂-based coatings by plasma spraying: Behavior under oxidizing and corrosive atmosphere at temperature exceeding 2000 °C 5
C. Barré, A. Quet, L. Bianchi, Monts/FR, C. Zeppa, Le Haillan/FR and C. Sanchez, Paris/FR

Microstructure and thermal property of atmospheric plasma sprayed Yb ₂ Si ₂ O ₇ coating	5
X. Zhong, Y. Niu, L. Huang, X. Zheng, C. Ding, H. Li and J. Sun, Shanghai/CN	

Suspension Spraying I

Characterization of the deposition formation dynamics of suspension plasma spray coatings using in-situ coating property measurements	5
R. C. Seshadri and S. Sampath, Stony Brook/US	

Comparison of SFS, SPS and HVFS for the production of photocatalytic titania coatings	6
B. Robinson, A. Tabecki, S. Paul, G. Shi, Cambridge/UK, A. Mills, Belfast/UK, I. P. Parkin, J. A. Darr, London/UK, and H. L. de Villiers Lovelock, Cambridge/UK	

Influence of particle size and spray parameters on formation of dense yttria coatings by suspension plasma spraying	6
K. Fujimori, J. Kitamura, T. Wada, Tokyo/JP, J. Liu, New York/US, and B. Callen, Alberta/CA	

Wind & Offshore

Improved corrosion resistance and electrical insulation behavior of plasma sprayed alumina coatings treated by inorganic sealant.....	7
F. Shao, H. Zhao, K. Yang, C. Liu and S. Tao, Shanghai/CN	

Corrosion performance of damaged thermally sprayed aluminium in simulated deep sea environment	7
S. Paul, Cambridge/UK	

New Processes I

Production rate improvement in liquid fuel HVOF spraying by modified powder injection concepts	7
T. Schläfer and A. Wank, Luckenbach/DE	

A hybrid thermal spray and sinter fusion process to apply wear and corrosion resistant coatings	8
M. Yao, H. Belhadjhamida, Belleville/CA, D. Lee and J. Zheng, Latrobe/US	

Coatings deposited using a valve-less detonation system.....	8
R. Bamola, T. Ewell, P. Robinson, Santa Fe Springs/US, and R. Gansert, Simi Valley/US	

Ceramic Coatings II

Columnar structured hydroxyapatite coating deposited by micro-plasma spray.....	8
Y. Wang, T. Fan, X. Liu, Z. Zhou and D. He, Beijing/CN	

Transition mechanism in flattening of plasma sprayed ceramic particles	9
M. Fukumoto, N. Maeda, B. Wie and D. Suzuki, Aichi/JP	

Young Professionals Session

Modification of thermal transport properties of Ar-H ₂ working gases by calcium-phosphate precursors used for suspension plasma spraying of HA coatings.....	9
R. T. Candidato, Jr., B. Pateyron, A. Denoirjean and L. Pawlowski, Limoges/FR	

Warm spraying of high strength Ni-Al-bronze for cavitation protection	9
S. Krebs, Hamburg/DE, S. Kuroda, Tsukuba/JP, H. Katanoda, Kagoshima/JP, F. Gaertner, Hamburg/DE, T. Klassen, Hamburg/DE, H. Araki, Tsukuba/JP, and S. Frede, Hamburg/DE	

In-flight particle diagnostics and control for the production of thermally sprayed babbitt coatings	10
A. R. C. Nascimento, F. B. Ettouil, S. Savoie, R. Schulz and C. Moreau, Montreal/CA	

TGO formation and failure mode of TBC systems comprising PVD-AIO _x interlayers	10
I. Ali, D. Wett, T. Grund and T. Lampke, Chemnitz/DE	

3D tomography of plasma sprayed Cr-clad Ni on alumina.....	10
A. Y. X. Wang, P. R. Munroe, Sydney/AU, A. T. T. Tran and M. M. Hyland, Auckland/NZ	
Pulsed current investigations and effects of the wire arc spraying process.....	11
A. Atzberger, Neubiberg/DE, G. Huisman, Hamburg/DE, M. Szulc, S. Kirner, S. Zimmermann, G. Forster and J. Schein, Neubiberg/DE	
Microstructure and thermal conductivity of Fe-based amorphous coatings prepared by HVOF thermal spraying ..	11
L. Wang, Z. Zhou, H. H. Yao, Y. M. Wang, X. Wu and D. Y. He, Beijing/CN	
Characterisation of thermally sprayed ZnAl15 corrosion protection coatings for offshore-wind-turbines.....	11
K. Bobzin, M. Öte and M. A. Knoch, Aachen/DE	
Spray parameter effect on HVOF sprayed (Fe, Cr)C-30FeNiCrSi hardmetal coatings.....	12
V. Matikainen, K. Khanlari, A. Milanti, H. Koivuluoto and P. Vuoristo, Tampere/FI	
Fluid dynamics and modelling of plasma jet in PS-PVD process and Monte Carlo simulations of PS-PVD columns.....	12
P. Wang, R. Mücke, W. He, G. Mauer and R. Vaßen, Jülich/DE	
Cold spray onto carbon fiber reinforced polymers for lightning strike protection	12
H. Che, S. Yue and P. Vo, Montreal/CA	

Automotive Industry

Application of cold spraying for contact reactive brazing of Mg alloy to steel	13
H. Li, H.-J. Nie, Beijing/CN, W.-M. Long, S.-J. Zhong, Zhengzhou/CN, and Z. Chen, Beijing/CN	
Integration of a thermal spray process into the GROB production line for passenger car aluminum engine blocks of combustion engines into mass production	13
B. Gand, A. Wörfel, C. Mörz and H. Saule, Mindelheim/DE	
Investigation of amorphous iron based thermal barrier coatings	13
K. Bobzin, M. Öte, T. F. Linke and T. Königstein, Aachen/DE	

Cold Gas Spraying II

Microstructure and mechanical properties of cold sprayed Ni-Al ₂ O ₃ coatings.....	14
W. Żórawski, Kielce/PL, A. Góral, Cracow/PL, and M. Makrenek, Kielce/PL	
Evaluation of high temperature oxidation behavior of a cold spray Ni-20Cr nano-structured coating.....	14
M. Kumar, H. Singh, N. Singh, Rupnagar/IN, S. V. Joshi, N. M. Chavan and S. Kumar, Hyderabad/IN	
Deposition of thick copper cold spray coatings on steel for used nuclear fuel repository using nitrogen and pulsed waterjet surface preparation	14
R. Fernández, D. MacDonald, A. Nastic, B. Jodoin, M. Vijay and A. Tieu, Ottawa/CA	
Optimization to fabrication method of Al-Ni composite for shaped charge liner applications	15
S. Lee, H. Park, J. Kim, C. Lee, S. J. Kim and S. Lee, Seoul/KR	

Wear protection

Fractal analysis of wear debris for plasma sprayed MoS ₂ /Ni-SiC-Y solid self-lubricant coatings.....	15
X. Yuan, B. Zha, L. Jiang and Z. Yu, Xi'an/CN	
New hardfacing material with high impact wear resistance	15
S. Bengtsson, S. Dizdar and B. Maroli, Höganäs/SE, and L. Baguette, Ath/BE	
A new type high-performance thermal spray powder with WB reinforcement	16
Y. Xie, Luoyang/CN, L. Xie, H. Wang, Beijing/CN, Y. Yang, Luoyang/CN, C. Hou, Beijing/CN, B. Liu, Luoyang/CN, and X. Song, Beijing/CN	

Power Generation I

- Thermal stability of sub-micro structured YSZ coatings deposited by APS and SPS 16
M. Zhai, J. Yang, Shanghai/CN and Beijing/CN, X. Zhong, H. Zhao, C. Liu and S. Tao, Shanghai/CN
- Hot corrosion behavior of multi-layer suspension plasma sprayed $Gd_2Zr_2O_7$ / YSZ thermal barrier coatings 16
K. P. Jonnalagadda, Linköping/SE, S. Mahade, Trollhättan/SE, N. Curry, Althofen/AT, X.-H. Li, Finspång/SE, N. Markocsan, P. Nylén, S. Björklund, Trollhättan/SE, and R. L. Peng, Linköping/SE
- Plasma spraying of suspensions with hybrid water-stabilized plasma technology 17
R. Musalek, J. Medricky, J. Kotlan, T. Tesar, Z. Pala, F. Lukac and T. Chraska, Prague/CZ
- Thermal fatigue failure of thermal barrier coatings with a high-Cr MCrAlY bond coat 17
K. Yuan, Beijing/CN, K. P. Jonnalagadda, Linköping/SE, Y. Yu, Beijing/CN, R. L. Peng, Linköping/SE, X.-H. Li, Finspång/SE, X. Ji and J. Shen, Beijing/CN
- High entropy alloy coatings for application as bond coating for thermal barrier coating systems 17
R. Bhattacharya, O. N. Senkov, A.K. Rai, Dayton/US, X. Ma and P. Ruggiero, East Windsor/US

Aviation Industry I

- New investigation on the high temperature capability limits of APS YSZ thermal barrier coatings at ~1500°C: preliminary laser-rig testing results 18
R. S. Lima and B. R. Marple, Boucherville/CA
- Thermal and mechanical properties of novel lanthanum zirconate based thermal barrier coatings 18
X. Guo, Indianapolis/US, Z. Lu, Y.-G. Jung, Changwon/KR, L. Li, J. Knapp and J. Zhang, Indianapolis/US

Cold Gas Spraying III

- Study of the properties of cold-sprayed In718 deposits 18
R. Huang and H. Fukanuma, Tokyo/JP
- Advanced diamond-reinforced copper composite coatings via cold spray and material characterization 19
S. Yin, B. Aldwell and R. Lupoi, Dublin/IE
- Effect of content and type of reinforcing particles on the hardness and wear rate of low-pressure cold-sprayed TiC and B_4C -based metal matrix composite coatings 19
Y. T. R. Lee, H. Ashrafizadeh, G. Fisher and A. McDonald, Edmonton/CA
- Influence of phosphorus and tin content on various characteristics of cold sprayed-copper coatings 19
Y. Yamauchi, S. Miyaji, M. Akabayashi, R. Tanaka, F. Yoshino, H. Hideshima, T. Hanamachi, S. Hirano and N. Aikawa, Yokohama/JP

Modeling & Simulation I

- Implementing the equation of state to account for the density variation at the inlet boundaries for high velocity oxy gas fuel process 19
M. Aldosari, K. Y. Benyounis and J. Stokes, Dublin/IE
- Modelling of coating profile in cold spray and its application in offline programming software 20
C. Chen, Y. Xie, S. Deng, C. Verdy and H. Liao, Belfort/FR

Aviation Industry II

- Thermally sprayed Al-Mn coatings for wet corrosion protection as alternative to cadmium 20
A. Foerg, G. Wolf, P. J. Masset, Sulzbach-Rosenberg/DE, and L. Libralesso, Liège/BE
- Effect of chemical surface treatment of polymer composites on the formation of erosion-resistant coatings 21
A. Elrikh, Limoges/FR and Limerick/IE, M. Dolhen, S. Goutier, Limoges/FR, G. Armstrong, Limerick/IE, and A. Vardelle, Limoges/FR

Suspension Spraying II

Erosion behavior of gadolinium zirconate/YSZ multi-layered thermal barrier coatings deposited by suspension plasma spray	21
S. Mahade, Trollhättan/SE, N. Curry, Althofen/AT, S. Björklund, N. Markocsan, P. Nylén, Trollhättan/SE, and R. Vaßen, Jülich/DE	
Microstructural control on yttria stabilized zirconia coatings by suspension plasma spraying.....	21
J. Kitamura, K. Fujimori, T. Wada, Tokyo/JP, J. Liu, New York/US, and B. Callen, Fort Saskatchewan/CA	
Microstructure formed by axial suspension plasma spraying: from YSZ splat to coating	22
D. Li, J. Feng, H. Zhao, C. Liu, L. Zhang, F. Shao, Y. Zhao and S. Tao, Shanghai/CN	
Tribology and nanoindentation study of suspension HVOF thermally sprayed alumina coating	22
T. Hussain, E. C. Shaw, Z. Pala, F. Xu, Nottingham/UK, and A. S. M. Ang, Melbourne/AU	

Modeling & Simulation II

Thermal conductivity in suspension sprayed thermal barrier coatings: modelling and experiments	23
A. Ganvir, C. Kumara, M. Gupta, and P. Nylén, Trollhättan/SE	
The main issues to address in modeling plasma spray torch operation	23
C. Chazelas, A. Vardelle, Limoges/FR, and J. P. Trelles, Lowell/US	

Power Generation – Fuel Cell II

LPC – novel process for the production of photocatalytic surfaces	23
B. Robinson, A. Tabecki, S. Paul, G. Shi, Cambridge/UK, P. Carmichael, I. P. Parkin, J. A. Darr, London/UK, and H. L. de Villiers Lovelock, Cambridge/UK	
Improving atmospheric plasma sprayed electrolyte layers of solid oxide fuel cells by use of powder separator	24
T. Liu and J. Arnold, Stuttgart/DE	
Low temperature sintering assistant-preparation of LSGM electrolyte for solid oxide fuel cells deposited by vacuum cold spray	24
L. Wang, C. Li, G. Yang, X. Luo, S. Zhang and C. Li, Xi'an/CN	
Thermal plasma synthesis of Mg-Ni nanoparticles.....	24
B. Aktekin and T. Öztürk, Ankara/TR	

Industrial Forum II

Education, training and certification for thermal spraying: experiences and future development.....	25
R. Huber and A. Ohliger-Volmer, Munich/DE	

Aviation Industry III

Investigations on the nature of ceramic deposits in plasma spray-physical vapor deposition.....	25
W. He, G. Mauer, R. Vaßen, O. Guillon, Jülich/DE, M. Gindrat, Wohlen/CH, and R. Wäger, Aarau/CH	
Analysis of the high cyclic lifetime of suspension plasma sprayed yttria-stabilized zirconia columnar coatings	25
B. Bernard, A. Quet, Monts/FR, L. Bianchi, A. Joulia, Magny-les-Hameaux/FR, A. Malié, Châtelleraut/FR and B. Rémy, Vandoeuvre-lès-Nancy/FR	
Cold spray of metal-polymer composite coatings onto carbon fiber-reinforced polymer (CFRP).....	26
V. Bortolussi, F. Borit, A. Chesnaud, M. Jeandin, Evry/FR, M. Faessel, B. Figliuzzi, F. Willot, Fontainebleau/FR, K. Roche and G. Surdon, Argenteuil/FR	

Suspension Spraying III

Effects of in-flight change of properties on suspension plasma spraying	26
A. Farrokhpahan, T. W. Coyle and J. Mostaghimi, Toronto/CA	

Opportunities of twin-cathode system as new suspension plasma spray system	26
M. Shahien, Tsukuba/JP and Cairo/EG, and M. Suzuki, Tsukuba/JP	
Introduction of micro resin fragments with ceramic nanoparticles into plasma flame to create fine coated layers ...	27
M. Katsuki, H. Harada and S. Kirihara, Osaka/JP	
Fracture Characteristics of high-velocity suspension flame-sprayed aluminum oxide coatings	27
J. Kiilakoski, Tampere/FI, A. Lutoschkin, M. Plachetta, Stuttgart/DE, M. Apostol, H. Koivuluoto, Tampere/FI, P. Müller, A. Killinger, Stuttgart/DE, and P. Vuoristo, Tampere/FI	
Thermal cycling behavior of suspension plasma sprayed yttria partially-stabilized zirconia thick thermal barrier coating	27
X. Zhong, J. Ni, H. Zhao, F. Shao, C. Liu, S. Tao, Shanghai/CN, W. Tao and Y. Wang, Changshu/CN	

Pre- & Post-Treatment

Substrate preparation & thermal spray coating performance – a review	28
S. S. Aulakh, Shinas/OM, and G. Kaushal, Talwandi Sabo/IN	
Wear behavior of post-treated arc sprayed cermet coatings by means of Hammer Peening	28
W. Tillmann and L. Hagen, Dortmund/DE	
The influence of heat treatment presence and sequence on oxidation resistance of YSZ thermal barrier coatings.	28
A. Akhmetgareeva, S. Baldaev, I. Mazilin, L. Baldaev, Moscow/RU, and T. Il'inkova, Kazan/RU	
Effect of pre and post processes on cold spray coating properties.....	29
P. K. Koh, H. W. Ng, P. Cheang and K. Loke, Singapore/SG	
Effect of sandblasting pretreatment and heat input of APS process on property of low-temperature soldered joint of tempered glass to steel.....	29
H. Li, T.-H. Zhu, Beijing/CN, W. Tillmann, Dortmund/DE, and Z.-X. Li, Beijing/CN	

Arc Spraying & Laser Spraying

Closed-loop control tools for automated laser cladding processes.....	29
A. Wank, F. Beck, C. Schmengler, Luckenbach/DE, J. Zierhut and K. Kloiber, München/DE	
Effect of traverse speed on residual stress distribution and cavitation erosion behavior of arc sprayed aluminum bronze coatings	30
M. Hauer, Rostock/DE, S. Krebs, Hamburg/DE, W. Krömmer, Unterschleißheim/DE, and K.-M. Henkel, Rostock/DE	
Cause study to the occurrence of unmelted wire pieces during wire arc spraying	30
W. Mayr, E. Steiner, S. Heilmeier, L. Blau, M. Szulc, A. Atzberger, K. Hartz-Behrend, S. Zimmermann, J. Zierhut and J. Schein, Munich/DE	
Alternative industrial surface solutions	30
P. T. Nielsen and S. E. Nielsen, Brøndby/DK	
Simultaneously spraying of different wires by twin wire arc spraying using adapted air-caps and shroud effect.....	31
W. Tillmann, M. Abdulgader and D. Bezerra, Dortmund/DE	

Power Generation II

Nanostructure development of low pressure plasma sprayed coatings with nano-agglomerated YSZ feedstock	31
Y. Gao and D. Yang, Dalian/CN	
An investigation on the optimization, reliability and repeatability assessment of plasma spray coatings deposited using twin opposing injectors.....	31
K. Y. Park, Chang wong/KR and New York/US, R. C. Seshadri, S. Sampath, New York/US, B. I. Yang and I. S. Kim, Chang wong/KR	

Preparation and properties of Cr₃C₂-25NiCr thermal spraying powders and coatings with nano-sized, micro-sized and bimodal structures.....32
H. Xie, S. Wang, X. Liao, C. Liu and F. Liu, Ganzhou/CN

Thermal cycling behavior of quasi-columnar YSZ coatings deposited by PS-PVD32
S. Tao, F. Shao, J. Yang, H. Zhao, C. Liu, Y. Zhuang, J. Ni and X. Zhong, Shanghai/CN

Characterization & Testing Methods

Flexure strength of metal mesh reinforced ceramic matrix composite fabricated using plasma spray method32
T. Mohammadi and X. Huang, Ottawa/CA

Stress analysis and failure mechanisms of plasma-sprayed thermal barrier coatings33
J. Yang, Shanghai/CN and Beijing/CN, L. Wang, Shanghai/CN, D. Li, Shanghai/CN and Beijing/CN, X. Zhong, H. Zhao and S. Tao, Shanghai/CN

The evaluation of mechanical properties of suspension plasma sprayed zirconia coatings having various microstructures33
P. Sokolowski, Wroclaw/PL and Limoges/FR, A. Mejias, Villeneuve d'Ascq/FR and Valencia/VE, D. Chicot, Villeneuve d'Ascq/FR, R. Musalek, Prague/CZ, P. Nylén, Trollhättan/SE, and L. Pawłowski, Limoges/FR

Influence of powder characteristics on the microstructure and bond strength of cold-sprayed aluminum coating ...33
P. E. Léger, F. Borit, N. Fabrègue, M. Jeandin, Evry/FR, and M. Ducos, Mornas/FR

Residual stresses measurement in plasma sprayed TBCs with cold sprayed bond coats by photoluminescence piezospectroscopy34
C. R. C. Lima, São Paulo/BR, S. Dosta, J. M. Guilemany, Barcelona/ES, and D. R. Clarke, Harvard/US

HVOF- / HVOF-Spraying

Microstructure and performance of WC-10Co-4Cr coating with ultrafine / nanocrystalline structures34
X. Wang, H. Wang, X. Song, X. Liu, D. You and T. Yang, Beijing/CN

Performance of HVOF sprayed Ni-20 Cr+1%Zr coating in Na₂SO₄-60%V₂O₅ environment at 900°C34
G. Kaushal, Talwandi Sabo/IN, H. Singh, Rupnagar/IN, and S. Prakash, Roorkee/IN

Effects of powder structures and HVOF processes on erosion wear performance of WC-10Co4Cr coatings.....34
X. Ding, X.-D. Cheng, J. Shi, C. Li and Z.-X. Ding, Wuhan/CN

Process simulation & modeling in HVOF qualification and optimization.....35
L. Zeng and B. Ramsey, Torrance/US

New Processes II

Characterization of YSZ coatings deposited by conventional DC and CO₂/CH₄ torches35
H. R. Salimijazi, Isfahan/IR, R. Ghasemi, Karaj/IR, J. Mostaghimi and L. Pershin, Toronto/CA

High velocity spray deposition of WC cermets by an air-oxygen controlled combustion process35
M. Parco, I. Fagoaga, G. Barykin and C. Vaquero, Irun/ES

An in-situ cooling solution for thermal spray coating process36
F. Qin, T. Bao and L. He, Shanghai/CN

Performance and economic characteristics of multi-chamber detonation sprayer used in thermal spray technology.....36
Y. Tyurin, O. Kolisnichenko, Kyiv/UA, J. Jia, Beijing/CN, N. Vasilik, Moscow/RU, M. Kovaleva, M. Prozorova, M. Arseenko and V. Sirota, Belgorod/RU

Power Generation III

- Influence of Ce and Ru on the behaviour of HVOF NiCoCrAlX coatings in high temperature oxidation.....37
P. Zhang, R. L. Peng, Linköping/SE, X.-H. Li, Finspång/SE, and S. Johansson, Linköping/SE
- The correlation of the TBC lifetimes in burner cycling test with thermal gradient and furnace isothermal cycling test by TGO effects.....37
C.-J. Li, H. Dong, H. Ding and G.-J. Yang, Xi'an/CN

Corrosion Protection

- Performance of HVOF sprayed Ni based coating on T22 steel in actual boiler environment.....37
N. Bala, Fathegarh Sahib/IN, H. Singh, Ropar/IN, and S. Prakash, Roorkee/IN
- Performance of thermally sprayed corrosion resistant alloy (CRA) coatings on carbon steel in supercritical CO₂ environments at different temperatures.....38
S. Paul, Cambridge/UK
- High temperature protective performance of LT-HVOF sprayed TiAl₃-Al coating for Ti-6Al-4V substrate.....38
C.-M. Deng, M. Liu, W. Yang, J. Zhang, J. Mao, C. Deng and K. Zhou, Guangzhou/CN

Equipment / Consumables & Powders, Wires, Suspensions

- From nano-particles to nano-structured thermal spray coatings.....38
Y. Wang, Y. Liu, S. Y. Liu, L. Wang, W. Tian and Z. Y. Pan, Harbin/CN
- Structural and phase state of the material between the ceramic layer and the metallic substrate formed by high-speed jet of powder39
M. Prozorova, M. Kovaleva, M. Arsenko, V. Sirota, Belgorod/RU, Y. Tyurin, O. Kolisnichenko, Kyiv/UA, J. Jia, Beijing/CN, and N. Vasilik, Moscow/RU
- Characterization of WC-Co coating modified by nano-sized TiC addition using electron microscopy methods39
H. Myalska, Gliwice/PL, R. Swadźba, Katowice/PL, R. Rozmus, G. Moskal and J. Wiedermann, Gliwice/PL
- An investigation of the corrosion and fouling resistance of Zn-Ni/Cr₂O₃-TiO₂-CuO- SiO₂/PTFE composite ceramic coatings.....39
Q.-Y. Li, X.-D. Cheng and W.-P. Ye, Wuhan/CN

Iron-based Coatings

- Microstructure and properties of FeCrNbBSiC coating prepared by wire-arc spraying process40
Z. H. Qian, Z. Zhou, H. H. Yao, X. Wu, Y. M. Wang and D.Y. He, Beijing/CN
- An influence of strain-induced nucleation of martensitic transformations on tribological properties of sprayed and surfaced depositions.....40
Y. Korobov, V. Verkhorubov, S. Nevezhin, M. Filippov, G. Tkachuk, A. Makarov and I. Zabolotskikh, Ekaterinburg/RU
- Highly economical Fe-based protective coating system by novel material design and full utilization of the atomized powder40
K. Bobzin, L. Zhao, M. Öte and T. Königstein, Aachen/DE
- Fe-based powder alloys deposited by HVOF and HVOF for sliding wear applications41
S. Dizdar, Höganas/SE

Power Generation IV

- A comparison between nanostructured YSZ coatings fabricated by LPPS and APS method using unsintered porous agglomerates.....41
Y. Zhao and Y. Gao, Dalian/CN

Comparative investigation on the mechanical properties of thermal barrier coatings made by atmospheric plasma spaying and suspension plasma spraying	41
M. Gizynski, Tsukuba/JP and Warsaw/PL, X. Chen, M. Watanabe, H. Araki, S. Kuroda, Tsukuba/JP, and Z. Pakiela, Warsaw/PL	

Medical Industry

Nanotopographical features of plasma sprayed coatings on bone implant surfaces.....	42
G. Wang, X. Song, Guangdong/CN, and X. Zhao, Changzhou/CN	
Preparation and in vitro evaluation of plasma sprayed cerium oxide coatings	42
K. Li, Y. Xie, M. You, L. Huang and X. Zheng, Shanghai/CN	
Osteogenic behavior of bone marrow mesenchymal stem cells on calcium silicate based coatings by hydrothermal treatment.....	42
D. Hu, K. Li, Y. Xie, L. Huang and X. Zheng, Shanghai/CN	
Hierarchical macro/nano titanium coating promotes cell differentiation via ROCK-regulated synergistic cytoskeletal distribution.....	43
H. Pan, Y. Xie, X. Zheng and T. Tang, Shanghai/CN	

Plasma Spraying

Oxidation behavior of titanium carbonitride coating deposited by atmospheric plasma spray synthesis	43
L. Zhu, J. He, D. Yan, Tianjin/CN, and N. Zhang, Shenyang/CN	
Comparison of ZrB ₂ -MoSi ₂ composite coatings fabricated by atmospheric and vacuum plasma spray processes..	43
Y. Niu, Z. Wang, X. Zheng and C. Ding, Shanghai/CN	
Plasma-sprayed composite coatings for severe conditions in nuclear power plants.....	44
A. Werry, C. Chazelas, A. Denoirjean, S. Valette, A. Vardelle, Limoges/FR, and E. Meillot, Monts/FR	
Microstructure and mechanical property of Al ₂ O ₃ /YAG wear-resistant composite coating deposited by atmospheric plasma spraying.....	44
K. Yang, Shanghai/CN, J. Rong, Shanghai/CN and Beijing/CN, C. Liu, S. Tao and C. Ding, Shanghai/CN	
Evaporation enhancement of YSZ spray particles for PS-PVD by modifying the nozzle in conventional 80 kW plasma spray system	44
Q.-Y. Chen, C.-J. Li, C.-X. Li and G.-J. Yang, Xi'an/CN	

Amorphous Coatings

Corrosion behaviors of amorphous coating under simulated deep sea environment.....	45
C. Zhang, Z. W. Zhang and L. Liu, Wuhan/CN	
Improvement of bonding strength and impact resistance of Fe-based amorphous coatings by structure modifications	45
L. Liu, C. Zhang, W. Wang and M. Yasir, Wuhan/CN	
Enhancement of wear and impact resistance of Fe based amorphous coatings by the addition of alumina particles.....	45
M. Yasir, C. Zhang, W. Wang, P. Xu and L. Liu, Wuhan/CN	

Posters

Applications – Automotive Industry

High temperature corrosion of selected thermally sprayed coatings deposited by HVOF technology46
Z. Česánek, J. Schubert, Š. Houdková, Pilsen/CZ, V. Matikainen, H. Koivuluoto and P. Vuoristo, Tampere/FI

Influence of heat-treatment methods on mechanical and erosion properties of thermally sprayed NiCrBSi based coating46
J. Schubert, Z. Česánek and Š. Houdková, Pilsen/CZ

Applications – Aviation Industry

Influence of multiple guide vane geometry on characteristics of TBCs deposited by PS-PVD method47
J. Mao, M. Liu, C. G. Deng, C. M. Deng and K. S. Zhou, Guangzhou/CN

Applications – General Plant Engineering

Effect of nitric acid corrosion on the luminescent intensity of plasma sprayed YAG:Ce coatings47
P. Zeng, H. Wang, W. Wang, J. Yu and L. Wu, Shanghai/CN

Sulfidation behavior of plasma-sprayed Al-Mo coatings at high temperature47
L. Wu, W. Wang and J. Yu, Shanghai/CN

Effect of substrate preheating on the bonding strength of detonation sprayed WC10Co4Cr coatings48
Y. Gao, Y. Hou and J. Gao, Dalian/CN

Applications – Medical Industry

Corrosion testing of hydroxyapatite and hydroxyapatite – silicon oxide coated titanium48
G. Singh, H. Singh and B. Singh Sidhu, Patiala/IN

Fabrication and characterization of graphene oxide/fluorhydroxyapatite composite materials for biomedical applications48
Y. Bai, J. Gao, W. Ma and Y. Bai, Hohhot/CN

Corrosion resistance and apatite forming ability of plasma sprayed CP-Ti/bioglass composite coating49
S. Bsat, B. De Snoo and X. Huang, Ottawa/CA

Plasma sprayed hydroxyapatite coatings on 3D printed polymer substrates for orthopedic applications:
A preliminary study49
L. Barillas, J. M. Cubero-Sesin and T. Guillén-Girón, Cartago/CR

Applications – Power Generation: Fuel Cells & Solar

Liquid plasma-sprayed nanonetwork $\text{La}_{0.4}\text{Sr}_{0.6}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_3/\text{Ce}_{0.8}\text{Gd}_{0.2}\text{O}_2$ composite cathodes for intermediate-temperature solid oxide fuel cells49
S.-L. Zhang, C.-J. Li, C.-X. Li and G.-J. Yang, Xi'an/CN

Applications – Power Generation: Steam

Study of high velocity arc sprayed heat resistant coatings from FeCrAlBY cored wire50
Y. Korobov, S. Nevezhin, M. Filippov, A. Makarov, I. Malygina, Ekaterinburg/RU, D. Fantozzi, A. Milanti, H. Koivuluoto and P. Vuoristo, Tampere/FI

Equipment / Consumables – Industrial Automation & Robotics

Porous nanostructured hydroxyapatite coatings deposited by suspension plasma spray50
H. Xu, X. Geng, G. Liu, P. Zhu and C. Zhang, Yangzhou/CN

Equipment / Consumables – Powders, Wires, Suspensions

- Characterization and properties of cermet coatings formed by a new multi-chamber detonation sprayer50
Y. Tyurin, O. Kolisnichenko, Kyiv/UA, J. Jia, Beijing/CN, N. Vasilik, Moscow/RU, M. Kovaleva, M. Prozorova, M. Arsenko and V. Sirota, Belgorod/RU

Equipment / Consumables – Process Diagnostics, Sensors & Controls

- Failure behavior of the plasma-sprayed yttria stabilized zirconia thermal barrier coatings under the three point bending test via acoustic emission technique51
L. Wang, Shanghai/CN, J. Yang, Shanghai/CN and Beijing/CN, J. Ni, X. Zhong, H. Zhao, F. Shao, C. Liu, S. Tao and C. Ding, Shanghai/CN

Properties – Ceramics Coatings

- Influence of laser glazing on the Characterization of plasma-sprayed YSZ coatings51
Y. Wang, J.-W. Liu, H.-L. Liao, G. Darut, Belfort/FR, J. Stella, Caracas/VE, T. Poirier, Limoges/FR, and M.-P. Planche, Belfort/FR
- Impedance analysis of 7YSZ thermal barrier coatings during high-temperature oxidation51
W.-L. Chen, M. Liu and J.-F. Zhang, Guangzhou/CN
- Preparation and cytocompatibility of nanoporous SiO₂/TiO₂ coatings by plasma spraying and HF etching52
X. Zhao, Jiangsu/CN
- Dense YSZ coatings fabricated by plasma spray-physical vapor deposition.....52
F. Shao, H. Zhao, C. Liu, X. Zhong, Y. Zhuang, J. Ni and S. Tao, Shanghai/CN
- Tribological performance of plasma sprayed Al₂O₃-Y₂O₃ composite coatings.....53
J. Rong, Shanghai/CN and Beijing/CN, K. Yang, H. Zhao, C. Liu, Y. Zhuang and S. Tao, Shanghai/CN
- Tubular asymmetric La_{0.6}Sr_{0.4}Co_{0.2}Fe_{0.8}O_{3-δ} oxygen transport membranes prepared by plasma spraying-physical vapor deposition (PS-PVD) and supersonic air-gas plasma spraying (SAPS)53
S. Niu, K. Zhou, L. Xu, C. Deng, M. Liu and J. Mao, Guangzhou/CN
- Sintering and phase transformation behavior of high-purity nanocrystallized thermal barrier coatings at very high temperatures.....53
K. Yuan, Y. Yu, X. Ji and J. Shen, Beijing/CN
- Synthesis of Y₂O₃ films with high thermal-shock resistance from a metal-EDTA complex using flame-spraying apparatus53
K. Komatsu, A. Toyama, T. Sekiya, T. Shirai, A. Nakamura, I. Toda, S. Ohshio, H. Muramatsu and H. Saitoh, Nagaoka/JP

Properties – Corrosion Protection

- Corrosion resistance of nanostructured WC-CoCr coating with Co-Cr alloy binder54
H. Wang, X. Wang, X. Song, X. Liu and T. Yang, Beijing/CN
- Influence of different content of free silicon on the oxidation resistance of SiC coatings on the C/SiC composites .54
F. Jia, H. Peng, X. Ji, X. Zhang and J. Shen, Beijing/CN
- Can thermally sprayed aluminium (TSA) mitigate corrosion of carbon steel in carbon capture and storage (CCS) environments?54
B. Syrek-Gerstenkorn and S. Paul, Cambridge/UK
- Electrochemical impedance spectroscopy of thermally sprayed aluminium in synthetic seawater55
S. Paul, Cambridge/UK

Properties – Metal Coatings

- Effect of multi-pass coatings on surface structure of cold sprayed Si coatings55
J. Nakamura, H. Saito, K. Fujita and K. Sakaki, Nagano/JP

Study on the thermal spray process and the properties of WC-12Co and WC-10Co-4Cr coatings55
W. Zhu, J. Xu, Q. Wang and X. Tan, Shanghai/CN

Microstructure and wear resistance of atmospheric-plasma-sprayed AlCoCrFeNiTi high-entropy alloy coating55
W. Xiong, L.-H. Tian, C. Liu and S. Lu, Zhenjiang/CN

The deposition of pure aluminium via cold spray for the corrosion protection of steel56
I. Peter, Torino/IT, B. Aldwell, Dublin/IE, R. Lupoi, Dublin/IE and M. Rosso, Torino/IT

Properties – Polymer Coatings

Research of influence of technological parameters of process of spraying on properties of polymeric coatings56
S. Mankovsky, L. Baldaev, S. Baldaev, S. Sheremetev, M. Fedorova and A. Rigin, Moscow/RU

Properties – Pre- & Post-Treatment

Laser re-melting assisted with induction heating of yttria partially stabilized zirconia thermal barrier coatings56
R. Wang, X. Dong, Z. Fan, K. Wang, W. Duan, X. Mei and W. Wang, J. Cui, Xi'an/CN

Properties – Properties Characterization & Testing Methods

Characterization of CrMoBW-Fe base in-flight particles and splats fabricated by nano cored wire arc spraying56
T. Man, Chiang Mai/TH, M. Kiattisak, Ayutthaya/TH, C. Komsanti and W. Sittichai, Chiang Mai/TH

Analysis of ultrasonic-assisted laser re-melting of thermal barrier coatings57
Z. Fan, X. Dong, R. Wang, K. Wang, W. Duan, X. Mei, W. Wang, J. Cui, Xi'an/CN

Properties – Tribological Coatings

Sliding wear investigation of plasma and high velocity oxy-fuel sprayed alumina coatings57
O. Ali, R. Ahmed, Edinburgh/UK, H. Alawadhi and M. Shameer, Sharjah/AE

Properties – Wear Protection

Influence of Ni content on the wear resistance of B₄C-Ni coatings sprayed by APS58
Y. Zhang, C. Jia, P. Jia, J. Zhang and Y. Jia, Beijing/CN

Microstructure and tribological performance of Cr₇C₃-(Ni,Cr)₃(Al,Cr) coating deposited from Cr₇C₃ in-situ synthesized alloy powder58
Z. Hongbin, S. Jie, G. Feng, Y. Yueguang, Beijing/CN, and L. Changhai, Gothenburg/SE

Fracture toughness of hard coatings applied by flame spray process using flexicord feedstock58
C. R. C. Lima, São Paulo/BR, M. S. Orozco, H. C. Fals, M. A. R. Mojena, Santiago de Cuba/CU, and V. A. Ferraresi, Uberlândia/BR

Research to the coating properties of different nickel-chromium alloy for Cr₃C₂-25%NiCr powders by high velocity oxygen fuel spray59
Z. Li and Y. Yu, Beijing/CN

Thermal Spray Processes – Arc Spraying & Laser Spraying

Tribological behavior of arc sprayed and compressed coatings with different carbide grain size fraction59
W. Tillmann, L. Hagen and P. Schröder, Dortmund/DE

Thermal Spray Processes – Cold Gas Spraying

Cold spray coatings for spacecrafts low-temperature soldering application59
Q. Cui, J. Zhang, J. Bai, L. Zhang, B. Wang, G. Ma, C. Wen, L. Li, and Q. Wen, Beijing/CN

Effect of nozzle material on downstream lateral injection cold spray performance60
D. MacDonald, S. Leblanc-Robert, R. Fernández, A. Farjam and B. Jodoin, Ottawa/CA

Influence of length of divergent and parallel section of the rectangular cross-section nozzle on behavior of particles of copper in high-pressure cold spray.....	60
K. Sakaki, S. Arai and T. Tagami, Nagano/JP	
Effect of gas pressure on interfacial bonding features of the cold-sprayed Ni coatings on Al substrate	60
Y. Xie, M.-P. Planche, R.-N. Raelison, C. Verdy, Belfort/FR, P. Herve, Ville d'Avray/FR, and H. Liao, Belfort/FR	
Improving corrosion resistance of Al6061 coating deposited by an in-situ shot-peening assisted cold spray	60
Y.-K. Wei, X.-T. Luo and C.-J. Li, Xi'an/CN	
Feature of interfacial bonding achieved by medium-velocity particle impacts in cold spray	61
Y.-J. Li, Y.-K. Wei, X.-T. Luo and C.-J. Li, Xi'an/CN	
The effect of annealing on the mechanical properties of iron – stainless steel composites	61
R. Barua, H. Aydin, D. Frost, R. Mongrain, Montreal/CA, P. Vo, Boucherville/CA, and S. Yue, Montreal/CA	
Thermal Spray Processes – Flame Spraying	
Flame sprayed HDPE-Cu composite coatings: an innovative technique for constructing antifouling layers.....	61
Z. M. Jia, X. K. Suo, Y. F. Gong, Y. Liu, Ningbo/CN, P. P. Jin, Xining/CN, and H. Li, Ningbo/CN	
Thermal Spray Processes – HVOF / HVOF / HVOF Spraying	
Influence of HVOF spray process on performances of NiCrAl coatings	62
X. Lu, X. Ji, W. Hou and J. Shen, Beijing/CN	
Thermal Spray Processes – Modelling & Simulation	
Influence of the segmentation crack on the stress distribution and failure behavior of the thick thermal barrier coatings fabricated by atmospheric plasma spraying: A numerical simulation study	62
L. Wang, Shanghai/CN, J. Yang, D. Li, Shanghai/CN and Beijing/CN, H. Zhao, X. Zhong, F. Shao, C. Liu, S. Tao and C. Ding, Shanghai/CN	
Thermal Spray Processes – New Processes	
Introduction of micro resin fragments with ceramic nanoparticles into plasma flame to create fine coated layers ...	62
M. Katsuki, H. Harada and S. Kirihara, Osaka/JP	
Nitrogen-dioxide sensing properties of solution precursor plasma sprayed zinc oxide coatings with oxygen vacancies.....	63
C. Zhang, X. Geng, J. Wang and J. You, Yangzhou/CN	
Densification of metal oxide films synthesized from a metal complex by flame apparatus.....	63
K. Komatsu, T. Shirai, A. Toyama, T. Iseki, D. Y. Enkin, Nagaoka/JP, A. Nakamura, Osaka/JP and Nagaoka/JP, Y. Li, S. Ohshio, H. Muramatsu and H. Saitoh, Nagaoka/JP	
Thermal Spray Processes – Plasma Spraying	
7YSZ coating prepared by PS-PVD based on heterogeneous nucleation.....	63
X. F. Zhang, K. S. Zhou, M. Liu, C. M. Deng, J. Mao, Z. Q. Deng and C. G. Deng, Guangzhou/CN	
Deposition of nanostructured YSZ coating from spray-dried particles of no heat treatment	64
Y. Zhao and Y. Gao, Dalian/CN	
Spectroscopic and electrical diagnostic of the plasma jets characteristic of a new plasma torch for LPPS or VLPPS	64
C. Q. Sun, Y. Gao and D. M. Yang, Dalian/CN	
Effect of TiO ₂ and TiB ₂ compounds on the microstructure and infrared emissivity of spinel Ni-Cr oxide coatings prepared by ASP	64
J. Zou, Wuhan/CN and Yichang/CN, W. P. Ye, S. R. Dong, Z. Nie and X. D. Cheng, Wuhan/CN	

Preparation, characterization of $(La_{0.9}Ca_{0.1})(Cr_{0.9}Mg_{0.1})O_3$ high emissivity coatings deposited by APS	65
L. Yanbo, W. Quansheng, G. Lihong, C. Yunpeng, J. Zijian and W. Hao, Beijing/CN	
Vacuum plasma spray of yttria stabilized zirconia coatings	65
P. Xu, L. Pershin, T. W. Coyle and J. Mostaghimi, Toronto/CA	
Effect of oxidation on the bonding formation of plasma-sprayed stainless steel splats sprayed onto stainless steel substrate	65
J. Wang and C.-J. Li, Xi'an/CN	
Characteristic of NiCoCrAlYT _a -10%Al ₂ O ₃ coating fabricated by supersonic atmospheric plasma spraying.....	66
K. Yang, M. Liu, C. Deng, J. Mao and S. Niu, Guangzhou/CN	
Study on the microstructure and wear behaviour of AlCoCrFeNiTi/NiCrBSi composite coating by atmospheric plasma spraying.....	66
L.-H. Tian, W. Xiong, C. Liu and S. Lu, Zhenjiang/CN	
Spraying of aluminum nitride-alumina-yttria mixtures in nitrogen	66
M. Shahien, Toyohashi/JP and Cairo/EG, M. Yamada and M. Fukumoto, Toyohashi/JP	
Particle diagnostics and coating properties in reactive plasma spray process	66
M. Shahien, Toyohashi/JP and Cairo/EG, M. Yamada and M. Fukumoto, Toyohashi/JP	
Young Professionals	
Modification in powder feeder for nano-powder for thermal spray thin coatings.....	67
R. Upadhyaya, S. Shrivastava, S. C. Modi and A. Modi, Rajasthan/IN	
List of authors	68