

M. Sc. Guomao Yang, Darmstadt

Investigation of Polymeric Space-Charge and Optically-Nonlinear Dipole Electrets

Reihe **9**: Elektronik

Nr. **235**

Contents

1	Introduction	1
2	Experimental techniques for electret investigation	3
2.1	Charging and poling techniques	3
2.1.1	Corona discharge	3
2.1.2	Electron-beam irradiation	5
2.2	Isothermal investigation of electret stability	8
2.2.1	Surface-potential measurements	8
2.2.2	Pyroelectric-response measurements	9
2.3	Thermally stimulated processes	12
2.3.1	Thermally stimulated discharge or depolarization	12
2.3.2	Pyroelectric thermal analysis	14
2.4	Spatial distribution of charge and polarization	14
2.4.1	Split Faraday cup	15
2.4.2	Thermal-excitation methods	16
2.4.2.1	Thermal-pulse method	16
2.4.2.2	Thermal-wave method	17
2.4.3	Ultrasonic-excitation methods	19
2.4.3.1	Laser-induced pressure-pulse (LIPP) method	19
2.4.3.2	Piezoelectrically-generated pressure-step (PPS) method	20
3	Relaxation of electrets and lifetime estimates	22
3.1	Thermally-stimulated-current (TSC) analysis	22
3.1.1	TSC on corona-charged samples	22
3.1.2	TSC on electron-beam charged samples	24
3.1.2.1	Influence of beam energy	24
3.1.2.2	Effect of surface breakdown	25
3.1.2.3	Influence of heating rate	26
3.2	Isothermal charge-decay (ICD) investigation	27
3.2.1	ICD at room temperature	27
3.2.2	ICD at elevated temperatures	28
3.2.3	Influence of the experimental conditions on the ICD data	30
3.2.3.1	Influence of charge density	30

3.2.3.2 Influence of charging time	31
3.2.3.3 Influence of charging temperature	31
3.2.4 Room-temperature ICD under high humidity	32
3.3 Conclusion	33
4 Charge dynamics in electron-beam-irradiated and corona-charged polymer electrets	34
4.1 Radiation-induced conductivity in electron-beam irradiated polymer films	34
4.1.1 Introduction	34
4.1.2 Experimental setup and measuring methods	36
4.1.3 Experimental results and discussion	38
4.1.3.1 Polypropylene	38
4.1.3.2 Polyethylene terephthalate	40
4.1.3.3 Polyimide	42
4.1.4 Summary	44
4.2 Thermally stimulated discharge of electron-beam and corona charged polypropylene films	45
4.2.1 Introduction	45
4.2.2 Experiments	46
4.2.3 Results and discussion	46
4.2.3.1 Open-circuit TSC	46
4.2.3.2 Short-circuit TSC	48
4.2.4 Conclusion	52
4.3 Spatial charge distribution	52
4.3.1 LIPP results on electron-beam charged polymer films	53
4.3.1.1 LIPP results on samples charged with different beam energies	53
4.3.1.2 LIPP results on samples charged with different doses	55
4.3.1.3 Effect of annealing on the charge distribution	57
4.3.2 Mean charge depth measured with the split-Faraday-cup method during and after electron-beam charging	60
4.3.3 Charge distributions measured with the PPS method	62
4.4 Theoretical analysis	68
4.4.1 Theoretical model for charging	68
4.4.2 Theoretical model for annealing	70
4.4.3 Results of model calculations	72
4.5 Discussion	74

5	Selective poling of nonlinear optical polymer electrets	76
5.1	Polymer electrets for nonlinear optical applications	76
5.1.1	Nonlinear optical phenomena	76
5.1.1.1	Harmonic generation	78
5.1.1.2	Electro-optical effects	79
5.1.2	Nonlinear optical polymers	81
5.2	Experimental investigation of selective poling	81
5.2.1	Sample preparation	81
5.2.2	Selective poling process	82
5.2.3	Poling conditions	84
5.2.4	Electrical and optical examination	84
5.2.4.1	LIPP results	85
5.2.4.2	TSC results	86
5.2.4.3	PTA results	89
5.2.4.4	Electro-optical measurements	90
5.3	Discussion	91
6	Summary	93
7	References	96