

# CONTENTS

	Page
INTRODUCTION	1
HISTORICAL SUMMARY	3
FIRST PART - ANALYSIS OF THE PROBLEM	7
Chapter 1 : DEFINITION OF BASIC TERMS AND NOTATIONS	
1.1. Definition of basic terms	11
1.1.1. Material to be sampled - sampling	11
1.1.2. Analysis - Chemical and physical components	13
1.2. Statistical definitions and notations	15
1.3. Estimators - Estimates - Errors - Biases	15
1.4. Domains and their extent	16
1.5. Properties of a selective process	16
1.5.1. A priori qualities	16
1.5.2. A posteriori qualities	17
1.5.3. Search for an objective	18
1.6. Specific notations	19
Chapter 2 : LOGICAL APPROACH	
2.1. First part - Analysis of the problem	23
2.2. Second part - Continuous model of the increment sampling process	24
2.3. Third part - From the continuous model to the discrete reality	25
2.4. Fourth part - Discrete model of the increment sampling process	25
2.5. Fifth part - Splitting processes	27
2.6. Sixth part - Preparation	27
2.7. Seventh part - Resolution of sampling problems	27
2.8. Eighth part - Problems associated with commercial sampling	27
2.9. Ninth part - Automatic sampling plants	28
Chapter 3 : PART OF SAMPLING IN QUALITY CONTROL	
3.1. Introduction	29
3.2. Possibility of direct estimation of a critical content	29
3.3. Possibility of direct extraction of the analysis sample	29
3.4. Preparation stages - Preparation errors	30
3.5. Successive estimators and eventual estimate of the critical content	30
3.6. Breaking up of the overall estimation error	30
Chapter 4 : SAMPLING PROCESSES	
4.1. Probabilistic and non-probabilistic sampling processes	33
4.2. Comments on non-probabilistic sampling processes	33
4.3. Probabilistic processes - Notion of movable and unmovable batches	33
4.4. Sampling of unmovable lots	34
4.5. Sampling of movable lots	34
4.6. Analysis of the increment sampling process	35
4.7. Analysis of the splitting process	36
4.8. Comparison of the increment sampling and splitting processes	37
4.9. Field of application of the increment sampling and splitting processes	38

## VI

Chapter 5 : MODELS OF THE INCREMENT SAMPLING PROCESS	
5.1. What is a model and what is the use of it ?	39
5.1.1. Model of an object	39
5.1.2. Model of a process	39
5.1.3. Qualities of a model or of a group of models	39
5.2. Introduction to a group of models of the sampling processes	40
5.2.1. Continuous model	41
5.2.2. Discrete model	42
5.3. Continuous model	42
5.3.1. Continuous model of the material to be sampled	42
5.3.2. Degenerate models of the lot L	43
5.3.3. General continuous model of the lot L	47
5.3.4. Punctual, extended and fragmental functions	47
5.3.5. Continuous model of a selection process	49
5.3.6. Continuous model of the increment sampling process	49
5.4. Discrete model	50
5.4.1. Discrete model of the lot L	50
5.4.2. Discrete model of a selection process	50
5.5. Objectives pursued when developing selection models	51
5.6. Resolution of sampling problems	51
SECOND PART - CONTINUOUS MODEL OF THE INCREMENT SAMPLING PROCESS	53
Chapter 6 : HETEROGENEITY OF A CONTINUOUS SET	
6.1. Introduction	55
6.2. Definition and properties of a homogeneous material	55
6.3. Description of a heterogeneous material	56
6.4. Definition of the variogram	56
6.5. General properties of the variogram	57
6.5.1. Breaking up of the variogram $v_f(\theta)$	58
6.5.2. Properties of $v_{f1}(\theta)$	58
6.5.3. Properties of $v_{f2}(\theta)$	59
6.5.4. Properties of $v_{f3}(\theta)$	59
6.5.5. Properties of $v_f(\theta)$	60
6.5.6. Particular non-periodic variograms	61
6.6. Experimental determination of the variogram - Logical approach	63
6.6.1. Definition of the discrete variogram	63
6.6.2. Definition of the experimental variogram	64
6.6.3. Definition of the corrected variogram	65
6.6.4. Definition of the model variogram	65
6.6.5. Recapitulation	66
6.7. Interpretation of the results of a variographic experiment	66
6.7.1. Estimation of $v'_{f1}$	67
6.7.2. Estimation of $v'_{f2+3}(\theta)$	67
6.7.3. Checking the existence of a periodic term	68
6.7.4. Analysis of a non-periodic variogram	68
6.7.5. Analysis of a periodic variogram	69
6.7.6. Objective definition of the components of $f(t)$	72
6.7.7. Variographic parameters	73
6.8. Particular case of zero-dimensional lots	73
6.9. Conclusions	74
Chapter 7 : REFERENCE SELECTION SCHEMES	
7.1. Introduction	75
7.1.1. Punctual sample	75
7.1.2. Definition of a random selection	75

7.2. Systematic selection with random positioning	76
7.2.1. Definition	76
7.2.2. Properties of the number $Q$ of increments	76
7.3. Random stratified selection	79
7.3.1. Definition	79
7.3.2. Properties of the number $Q$ of increments	79
7.4. Random selection	82
7.4.1. Definition	82
7.4.2. Number $Q$ of increments	82
7.5. Full description of a selection scheme	82
7.6. Comparison of the three selection schemes	82
7.7. Field of application of the three selection schemes	83

## Chapter 8 : DEVELOPMENT OF THE CONTINUOUS SELECTION MODEL CONTINUOUS SELECTION ERROR CE

8.1. Introduction	85
8.2. Definition of the model	85
8.2.1. Definition of the lot $L$	85
8.2.2. Definition of the material to be sampled	86
8.2.3. Definition of the selecting process	86
8.2.4. Definition of the increment delimitation process	86
8.2.5. Definition of the sample $S$	86
8.2.6. Definition of the continuous selection error CE	87
8.3. Distribution of the weight $M_S$ of active components in the sample $S$	87
8.3.1. Distribution law of $M_S$	87
8.3.2. Mean of $M_S$	88
8.3.3. Relative variance of the sample weight $M_S$	91
8.4. Distribution of the weight $A_S$ of critical component in the sample $S$	93
8.4.1. Distribution law of $A_S$	93
8.4.2. Mean of $A_S$	93
8.4.3. Relative variance of $A_S$	94
8.5. Correlation between the distributions of $M_S$ and $A_S$	94
8.6. Distribution of the critical content $a_S$ of the sample $S$ - Introduction	95
8.6.1. Review of the relevant factors	95
8.6.2. State of the material to be sampled	96
8.6.3. Selecting conditions	96
8.6.4. Cases studied in the following sections	96
8.6.5. Sources of selection bias	97
8.7. Distribution of the critical content $a_S$ of the sample $S$ - Case No.1	98
8.7.1. Distribution law of $a_S$	98
8.7.2. Moments of $a_S$ - Introduction	98
8.7.3. Moments of $a_S$ - First approximation	100
8.7.4. Moments of $a_S$ - Second approximation	100
8.8. Distribution of the critical content $a_S$ of the sample $S$ - Case No.2	101
8.8.1. Mean of $a_S$	101
8.8.2. Variance of $a_S$	101
8.9. Distribution of the critical content $a_S$ of the sample $S$ - Case No.3	101
8.10. Distribution of the critical content $a_S$ of the sample $S$ - Case No.4	102
8.10.1. General formulas	102
8.10.2. Practical formulas	102
8.11. Distribution of the critical content $a_S$ of the sample $S$ - Case No.5	103
8.12. Distribution of the critical content $a_S$ of the sample $S$ - Case No.6	104

## Chapter 9 : BREAKING UP OF THE CONTINUOUS SELECTION ERROR CE

9.1. Introduction	105
9.2. Definition of the weighting error and of the quality fluctuation error	106

## VIII

9.3. Analysis of the quality fluctuation error QE	107
9.4. Moments of the quality fluctuation error QE	107
9.4.1. Mean of QE	107
9.4.2. Variance of QE	107
9.5. Recapitulation	108
Chapter 10 : SHORT-RANGE QUALITY FLUCTUATION ERROR $QE_1$	
10.1. Definition	109
10.2. Mean of $QE_1$	109
10.3. Variance of $QE_1$	109
10.4. Cancelling and minimizing of $QE_1$	110
10.5. Further analysis of the short-range quality fluctuation error $QE_1$	110
Chapter 11 : LONG-RANGE QUALITY FLUCTUATION ERROR $QE_2$	
11.1. Definition	111
11.2. Mean of $QE_2$	111
11.3. Variance of $QE_2$	111
11.4. Comparison of the three selection schemes	112
11.5. Cancelling and minimizing of $\sigma^2(QE_2)$	112
Chapter 12 : PERIODIC QUALITY FLUCTUATION ERROR $QE_3$	
12.1. Definition	113
12.2. Occurrence of periodic fluctuations	114
12.3. Moments of $QE_3$	115
12.3.1. Most general case	116
12.3.2. First particular case	116
12.3.3. Second particular case	116
12.3.4. Third particular case	117
12.4. Comparison of the three selection schemes	118
12.5. Example	119
12.6. General conclusion concerning the choice of a selection scheme	119
Chapter 13 : WEIGHTING ERROR WE	
13.1. Definition	121
13.2. Mean of WE	121
13.3. Variance of WE	121
13.3.1. Expression of the variance	121
13.3.2. Weighting fluctuation factor	122
13.3.3. Weighting variance and fluctuations of the rate-of-flow	122
13.3.4. Comparison of the three selection schemes	122
13.4. Constant tonnage sampling systems	122
13.4.1. The problem to be solved	123
13.4.2. Systems using a uniform speed cutter	123
13.4.3. Systems using a proportional speed cutter	124
13.5. Error resulting from the non-uniformity of the cutter speed from one increment to the next	124
13.6. Particular rate of flow functions	124
13.6.1. Crenellated rate-of-flow functions	125
13.6.2. Long-wave variations	125
13.6.3. Variogram of the rate-of-flow functions	126
13.7. Conclusions	127
Chapter 14 : PRACTICAL IMPLEMENTATION OF THE CONTINUOUS MODEL VARIOGRAPHIC EXPERIMENT	
14.1. Introduction	129

14.2. Organization of a variographic experiment	129
14.2.1. Planning of the experiment	129
14.2.2. Practical considerations	130
14.3. Analysis of a simple periodic variogram	131
14.3.1. Organization of the variographic experiment	131
14.3.2. Analysis of the first series with $h_1 = 2$ seconds	132
14.3.3. Analysis of the second series with $h_2 = 1$ minute	133
14.3.4. Analysis of the third series with $h_3 = 20$ minutes	133
14.4. Analysis of a non-periodic variogram	140
Chapter 15 : PRACTICAL IMPLEMENTATION OF THE CONTINUOUS MODEL ERROR ESTIMATION	
15.1. Introduction	143
15.2. Example No.1 - Lead ore	143
15.2.1. The material to be sampled	143
15.2.2. Relative variance of the sample weight $M_S$	144
15.2.3. Relative variance of the weight $A_S$ of critical component	144
15.2.4. Variance of the continuous selection error CE	145
15.2.5. Mean of the continuous selection error CE	146
15.2.6. Confidence interval of the Pb content of the sample S	146
15.2.7. Breaking up of the total variance $\sigma^2(CE)$	146
15.2.8. Interpretation of the results	147
15.3. Example No.2 - Feed to the blending system of a cement plant	148
15.3.1. The material to be sampled	148
15.3.2. Relative variance of the sample weight $M_S$	148
15.3.3. Relative variance of the weight $A_S$ of $CaO$ in the sample	149
15.3.4. Variance of the continuous selection error CE	150
15.3.5. Mean of the continuous selection error CE	150
15.3.6. Confidence interval of the $CaO$ content	150
15.3.7. Breaking up of the total variance $\sigma^2(CE)$	151
15.3.8. Interpretation of the results	152
THIRD PART - FROM THE CONTINUOUS MODEL TO THE DISCRETE REALITY MATERIALIZATION OF THE PUNCTUAL INCREMENTS	
	155
Chapter 16 : COMPONENTS OF THE MATERIALIZATION ERROR ME	
16.1. Introduction	157
16.2. Increment sampling of flowing streams	158
16.2.1. The one-dimensional model	158
16.2.2. The punctual increment $I_p$	158
16.2.3. The model extended increment $I_E$	158
16.2.4. The actual extended increment $I'_E$ - Increment delimitation error	160
16.2.5. The model fragmental increment $I_F$	162
16.2.6. The actual fragmental increment $I'_F$ - Increment extraction error	163
16.3. Recapitulation	164
16.4. Selection, extraction and sampling probabilities	165
16.4.1. Density of selection probability	165
16.4.2. Selection probability	165
16.4.3. Extraction probability	165
16.4.4. Sampling probability	166
Chapter 17 : INCREMENT DELIMITATION ERROR DE	
17.1. Definition	167
17.2. Falling stream sampling - correctness conditions involving the cutter geometry	167

17.2.1. Straight-path cross-stream cutters - correct geometry	167
17.2.2. Straight-path cross-stream cutters - deviations from correctness	168
17.2.3. Straight-path cutters of other types - deviations from correctness	169
17.2.4. Circular-path cutters - correct geometry	171
17.2.5. Circular-path cutters - deviations from correctness	171
17.3. Falling stream sampling - Correctness conditions involving the cutter speed	173
17.3.1. Achievement of the uniformity of the cutter velocity during its travel across the stream	173
17.3.2. Achievement of the uniformity of the cutter velocity from one increment to the next	175
17.4. Falling stream sampling - Correctness conditions involving the general lay-out	175
17.4.1. Correct lay-out of the sampling device	175
17.4.2. Incorrect lay-out : part of the stream escapes sampling	176
17.4.3. Incorrect lay-out : part of the stream enters the cutter in idle position	177
17.4.4. Incorrect lay-out : reciprocating sampler with a non-idle reversing position	177
17.4.5. Sampling dry materials containing fines	177
17.5. Falling stream sampling - Recapitulation of the conditions of delimitation correctness	179
17.6. Stopped belt sampling	180
17.7. Two-dimensional sampling	180
17.8. Cost of correct delimitation	182
 Chapter 18 : INCREMENT EXTRACTION ERROR EE	
18.1. Definition	183
18.2. Analysis of the rebounding rule	183
18.2.1. Definitions and notations	183
18.2.2. Chronology of the fragment F	184
18.2.3. Chronology of the leading edge $C_L$	184
18.2.4. Chronology of the trailing edge $C_T$	185
18.2.5. Collision between the fragment F and parts of the cutter C	185
18.2.6. Respective positions of F and $C_L$ at time $t_{F3}$	186
18.2.7. Collision between F and $C_L$	187
18.2.8. Respective positions of F and $C_T$ at time $t_{F3}$	188
18.2.9. Rebounding rule and model increment	189
18.3. Conditions of extraction correctness involving the material to be sampled	189
18.3.1. Fragments do not fall one by one	190
18.3.2. Fragments are liable to spin	190
18.3.3. Fragments do not fall in a vertical plane	190
18.3.4. Recapitulation	191
18.4. Conditions of extraction correctness involving the cutter characteristics	191
18.4.1. Straightness of the cutter edges	191
18.4.2. Thickness of the cutter edges	191
18.4.3. Inclination of the cutter edges	192
18.4.4. Cutter width and velocity - qualitative theoretical approach	194
18.4.5. Cutter width and velocity - rules of extraction correctness	198
18.4.6. Increment integrity	202
18.5. Cutter width and velocity - Experimental determination of the critical characteristics	204
18.5.1. Introduction and notations	204
18.5.2. Choice of an experimental method	205
18.5.3. General lay-out of the testing plant	206

18.5.4. Critical value of the ratio  $W/d_M$  207  
 18.5.5. Critical cutter speed when  $W = W_0$  208  
 18.5.6. Critical cutter speed when  $W = n W_0$  208  
 18.5.7. Acknowledgments 210  
 18.6. Recapitulation 210  
 18.7. Cost of extraction correctness 211

FOURTH PART - DISCRETE MODEL OF THE INCREMENT SAMPLING PROCESS 213

Chapter 19 : HETEROGENEITY OF A DISCRETE SET

19.1. Introduction and notations 215  
 19.2. Definition and properties of homogeneous and heterogeneous materials 216  
 19.3. Characterizing the heterogeneity of a discrete set 217  
     19.3.1. Heterogeneity carried by a particle 217  
     19.3.2. Heterogeneity carried by a group of particles 218  
     19.3.3. Constitution heterogeneity and distribution heterogeneity of the lot L 218  
     19.3.4. Relationship between constitution and distribution heterogeneity 219  
     19.3.5. Properties of the constitution and distribution heterogeneities 219  
 19.4. General expression of the distribution heterogeneity 225

Chapter 20 : DEVELOPMENT OF THE DISCRETE SELECTION MODEL

20.1. Introduction and notations 227  
 20.2. Distributions of  $N_{Z_m}$ ,  $N_{S_k}$ ,  $M_{S_k}$  and  $A_{S_k}$  228  
     20.2.1. Distribution of  $N_{Z_m}$  frequency of unit  $U_m$  in the set Z 228  
     20.2.2. Distribution of  $N_{S_k}$  number of units in the sample  $S_k$  228  
     20.2.3. Distribution of  $M_{S_k}$  weight of  $S_k$  229  
     20.2.4. Distribution of  $A_{S_k}$  weight of critical component in  $S_k$  229  
 20.3. Distribution of  $a_S$  critical content of the sample S - Incorrect selection 229  
     20.3.1. Distribution law of the critical content  $a_S$  229  
     20.3.2. Moments of  $a_S$  - Introduction 230  
     20.3.3. Moments of  $a_S$  - First and second approximations 231  
 20.4. Practical implementation of formulas involving sums  $\sum_i$  233  
     20.4.1. Introduction 233  
     20.4.2. Practical estimation of the sums extended to the  $N_L$  particles of the lot L 233  
     20.4.3. Properties of the selection probability  $P_{\alpha\beta}$  and of the sampling ratio  $\tau_{\alpha\beta}$  235  
 20.5. Moments of  $N_S$ ,  $M_S$ ,  $A_S$  and  $a_S$  - Correct selection 236  
     20.5.1. Number of units  $N_S$  in the sample S 236  
     20.5.2. Weight  $M_S$  of the sample S 236  
     20.5.3. Weight  $A_S$  of critical component in the sample S 236  
     20.5.4. Critical content  $a_S$  of the sample S 237  
     20.5.5. Expression of the sums  $\sum_i$  extended to the  $N_L$  particles of the lot 238  
 20.6. Moments of  $N_S$ ,  $M_S$ ,  $A_S$  and  $a_S$  - Correct selection - Uniform weighting 238  
     20.6.1. Moments of  $N_S$  238  
     20.6.2. Moments of  $M_S$  238  
     20.6.3. Moments of  $A_S$  239  
     20.6.4. Moments of  $a_S$  239

## XII

20.6.5. Moments of the sampling error SE	239
20.6.6. Remark	
20.7. Practical implementation of the results of the discrete model	239
Chapter 21 : LINKING UP OF THE CONTINUOUS AND DISCRETE MODELS FUNDAMENTAL ERROR FE - GROUPING AND SEGREGATION ERROR GE	
21.1. Introduction and notations	241
21.2. Moments of $SE = QE_1$ according to the continuous and discrete models	242
21.2.1. Continuous perspective	242
21.2.2. Discrete perspective	242
21.2.3. Comparison of the results of the continuous and discrete models	244
21.3. Analysis of the short-range quality fluctuation error $QE_1$	245
21.3.1. Incidence of the increment size on the variance $\sigma^2(QE_1)$	245
21.3.2. Definition of the fundamental error FE	246
21.3.3. Definition of the grouping and segregation error GE	247
21.3.4. Breaking up of $QE_1$	247
21.4. Cancelling and minimizing of the fundamental error FE	248
21.4.1. Cancelling of FE	248
21.4.2. Minimizing of FE	248
21.5. Cancelling and minimizing of the grouping and segregation error GE	249
21.5.1. Cancelling of GE	249
21.5.2. Minimizing of GE	250
Chapter 22 : PRACTICAL IMPLEMENTATION OF THE THEORETICAL RESULTS - CORRECT SELECTION	
22.1. Introduction	251
22.2. Estimation of the moments of the fundamental error FE - Introduction of Y and Z	251
22.3. Estimation of Y and Z - Method No.1	252
22.3.1. The critical component is a mineral	252
22.3.2. The critical component is a size fraction	254
22.4. Estimation of Y and Z - Method No.2	254
22.4.1. Principle of the method	255
22.4.2. Estimation of $Y_1 = Z_1$	255
22.4.3. Estimation of $Z_2$	256
22.4.4. Simplified expressions of Z and $\sigma^2(FE)$	258
22.4.5. Conclusions concerning the second method	258
22.5. Estimation of Y and Z - Method No.3	258
22.6. Properties and practical estimation of c , $\ell$ , f , g and d	259
22.6.1. Mineralogical composition factor c	259
22.6.2. Liberation factor $\ell$	262
22.6.3. Particle shape factor f	263
22.6.4. Size range factor g	263
22.6.5. Maximum particle diameter d	263
22.6.6. Sampling slide rule	264
22.7. Resolution of sampling problems involving the fundamental variance	264
22.7.1. Estimation of the fundamental variance - Example 1	264
22.7.2. Estimation of the minimum sample weight - Example 2	265
22.7.3. Estimation of the maximum particle size - Examples 3 and 4	266
22.8. Practical application of methods No.1, 2 and 3	267
22.8.1. Example 5 : application of methods No. 1 and 2	267
22.8.2. Example 6 : application of method No.3	276
22.8.3. Example 7 : application of method No.3	278
22.9. Recapitulation and conclusions	279

Chapter 23 : PRACTICAL IMPLEMENTATION OF THE THEORETICAL RESULTS -  
INCORRECT SELECTION

23.1. Introduction	281
23.2. Incorrect extraction curve	283
23.3. Practical determination of the curve of incorrect extraction	284
23.3.1. Method No.1	284
23.3.2. Method No.2	284
23.3.3. Method No.3	285
23.3.4. Method No.4	286
23.4. Examples	286
23.4.1. Example No.1	286
23.4.2. Example No.2	287
23.4.3. Example No.3	288
23.5. Conclusions	288

FIFTH PART - SPLITTING PROCESS 289

Chapter 24 : SPLITTING METHODS AND DEVICES

24.1. Introduction	291
24.2. True and degenerate splitting processes	292
24.3. Coning and quartering	293
24.4. Riffling	294
24.4.1. Description	294
24.4.2. Possibility of an operating bias	295
24.4.3. Practical conclusions	296
24.5. Fractional shovelling	297
24.5.1. Procedure	297
24.5.2. Possibility of a bias	298
24.5.3. Practical conclusions	299
24.6. Sectorial splitters	300
24.6.1. Revolving feeder sectorial splitter	300
24.6.2. Stationary feeder sectorial splitter	301

Chapter 25 : MODEL OF THE SPLITTING PROCESS - SPLITTING ERRORS

25.1. Linking up with the existing models	305
25.2. Moments of the continuous selection error CE	306
25.3. Minimizing of $\sigma^2(CE)$	307
25.4. Delimitation error DE	308
25.5. Extraction error EE	309

Chapter 26 : PRACTICAL IMPLEMENTATION OF SPLITTING PROCESSES - EXAMPLE -  
REDUCTION OF DRILL CORE SAMPLES

26.1. Introduction	311
26.2. Core sample reduction methodology	311
26.2.1. Longitudinal core halving	311
26.2.2. Drying	312
26.2.3. Size reduction	312
26.2.4. Sampling	312
26.2.5. Mixing	312
26.3. Selection of a core sample reduction scheme	313
26.3.1. Sample reduction diagram	313
26.3.2. Safety rule	314
26.3.3. Core sample L	315
26.3.4. Primary comminution stage	316
26.3.5. Primary sampling stage	316

26.3.6. Secondary comminution stage	316
26.3.7. Secondary sampling stage	316
26.3.8. Tertiary comminution stage	316
26.3.9. Tertiary sampling stage	317
26.4. Examples	317
26.4.1. Safe reduction scheme	318
26.4.2. Unsafe reduction scheme	319
26.5. Recommendations	321
 SIXTH PART - LOT AND SAMPLE PREPARATION	 323
 Chapter 27 : PREPARATION ERRORS	
27.1. Introduction	325
27.2. Errors resulting from contamination	325
27.2.1. Contamination by dust	325
27.2.2. Contamination by material present in the sampling circuit and equipment	326
27.2.3. Contamination by abrasion	326
27.2.4. Contamination by corrosion	326
27.2.5. Contamination by salting	327
27.3. Errors resulting from losses	327
27.3.1. Loss of fines as dust	327
27.3.2. Loss of material remaining in the preparation or sampling circuit	327
27.3.3. Loss of certain fractions of the sample	327
27.3.4. Deliberate loss of fractions of the sample	328
27.4. Errors resulting from alteration of the chemical composition	328
27.4.1. Errors by addition or fixation	328
27.4.2. Errors by subtraction or elimination	329
27.5. Errors resulting from alteration of the physical composition	330
27.5.1. Addition or creation of critical component	330
27.5.2. Subtraction or destruction of critical component	331
27.6. Errors resulting from unintentional mistakes	331
27.7. Errors resulting from frauding or sabotage	332
27.8. Conclusions	332
 SEVENTH PART - RESOLUTION OF SAMPLING PROBLEMS	 333
 Chapter 28 : RECAPITULATION OF THE SAMPLING ERRORS	
28.1. Analysis of the overall estimation error	335
28.1.1. Breaking up of the overall estimation error OE	335
28.1.2. Breaking up of the total sampling error TE	335
28.1.3. Breaking up of the total sampling error $TE_n$ arising at stage n	336
28.1.4. Breaking up of the sampling error SE	336
28.1.5. Breaking up of the selection error CE	336
28.1.6. Breaking up of the quality fluctuation error QE	336
28.1.7. Breaking up of the short-range quality fluctuation error $QE_1$	337
28.1.8. Breaking up of the materialization error ME	337
28.1.9. Breaking up of the total preparation error PE	337
28.1.10. Recapitulation	338
28.2. Fundamental error FE	340
28.2.1. Definition	340
28.2.2. Properties of the mean	340
28.2.3. Properties of the variance	340
28.2.4. Cancellation of the fundamental error FE	342
28.2.5. Minimization of the fundamental error FE	342
28.3. Grouping and segregation error GE	342
28.3.1. Definition	342
28.3.2. Properties of the mean	342

28.3.3. Properties of the variance	342
28.3.4. Cancellation of the grouping and segregation error GE	343
28.3.5. Minimization of the grouping and segregation error GE	343
28.4. Long-range quality fluctuation error $QE_2$	343
28.4.1. Definition	343
28.4.2. Properties of the mean	344
28.4.3. Properties of the variance	344
28.4.4. Cancellation of the long-range quality fluctuation error $QE_2$	344
28.4.5. Minimization of the long-range quality fluctuation error $QE_2$	344
28.5. Periodic quality fluctuation error $QE_3$	345
28.5.1. Definition	345
28.5.2. Properties of the mean	345
28.5.3. Properties of the variance	345
28.5.4. Cancellation of the periodic quality fluctuation error $QE_3$	345
28.5.5. Minimization of the periodic quality fluctuation error $QE_3$	346
28.6. Weighting error WE	346
28.6.1. Definition	346
28.6.2. Properties of the mean	346
28.6.3. Properties of the variance	346
28.6.4. Cancellation of the weighting error WE	346
28.6.5. Minimization of the weighting error WE	347
28.7. Increment delimitation error DE	347
28.7.1. Definition	347
28.7.2. Properties of the increment delimitation error DE	347
28.7.3. Cancellation of the increment delimitation error DE	347
28.8. Increment extraction error EE	348
28.8.1. Definition	348
28.8.2. Properties of the increment extraction error EE	348
28.8.3. Cancellation of the increment extraction error EE	348
28.9. Preparation errors PE	349
28.9.1. Definition	349
28.9.2. Properties of the preparation errors PE	350
28.9.3. Elimination of the preparation errors PE	350
28.10. Conclusions	350

## Chapter 29 : SOLVABLE AND UNSOLVABLE SAMPLING PROBLEMS

29.1. Definitions	351
29.2. Representativeness and cost	351
29.2.1. Notion of acceptable representativeness standard	352
29.2.2. Notion of acceptable cost	353
29.2.3. Tentative conclusion	355
29.3. Sampling of three-dimensional objects	355
29.3.1. Definition - Examples	355
29.3.2. Theoretical and practical solvability	356
29.3.3. Possible solutions	357
29.4. Sampling of two-dimensional objects	357
29.4.1. Definition - Examples	357
29.4.2. Theoretical and practical solvability	358
29.4.3. Other possible solutions	358
29.5. Sampling of one-dimensional stationary objects	358
29.5.1. Definition - Examples	358
29.5.2. Theoretical and practical solvability	358
29.5.3. Other possible solutions	359
29.6. Sampling of one-dimensional flowing streams	359
29.7. Sampling of zero-dimensional objects	359
29.7.1. Definition - Examples	359
29.7.2. Theoretical and practical solvability	359
29.7.3. Further processing of the primary sample	360
29.8. Sampling of small or valuable objects	361
29.8.1. Definition	361

29.8.2. Theoretical and practical solvability	361
29.8.3. Japanese slab-cakes	361
29.9. Conclusions	363
 EIGHTH PART - PROBLEMS ASSOCIATED WITH COMMERCIAL SAMPLING	 365
Chapter 30 : NOTION OF EQUITY	
30.1. Introduction - Definition	367
30.2. Properties of the settlement price assumed to be a linear function of the critical content	368
30.3. Properties of the settlement price assumed to be a non-linear function of the critical content	370
30.4. Relative importance of bias and random error in commercial sampling	371
30.4.1. Relative unimportance of random errors in commercial sampling	372
30.5. Conclusions - Recommendations	374
30.6. Equity - Louis-le Débonnaire's splitting method	376
 Chapter 31 : TESTING THE AGREEMENT BETWEEN TWO SERIES OF INDEPENDENT ESTIMATES OF A SAME CHARACTERISTIC - DISCREPANCIES BETWEEN SELLER AND BUYER	 
31.1. Introduction	379
31.2. Notations and definitions	380
31.2.1. Positive and negative tests	380
31.2.2. Certainty, presumption and uncertainty	380
31.2.3. Agreement and disagreement between two series of estimates	381
31.2.4. Kinds of risk and level of risk	381
31.3. Testing the hypothesis $H \equiv \{D = 0\}$	381
31.4. Testing the hypothesis $H' \equiv \{D' =  D  - D_A = 0\}$	383
31.5. Practical implementation of the test	385
31.6. Graphical implementation of the results of the test	386
31.7. Examples	388
31.8. Average number of trials necessary to show up a systematic difference	389
 Chapter 32 : TESTING THE AGREEMENT BETWEEN AN ESTIMATE AND THE TRUE VALUE CHECK OF THE SAMPLING BIAS	 
32.1. Introduction - Notations	391
32.2. Method No.1 - Absolute method involving a synthetic lot	392
32.3. Method No.2 - Relative method involving a reference method or device	393
32.4. Method No.3 - Relative method involving a comparison between sample and sampling reject	394
32.4.1. Variant No.1	394
32.4.2. Variant No.2	395
32.4.3. Interest of this method	395
32.5. Example of application of method No.2	395
32.5.1. Critical inspection of the sampler	395
32.5.2. Experimental testing	396
32.5.3. Conclusions	398
32.6. Accuracy vs. reproducibility - Example of application of method No.3	400
32.7. Critical inspection of a sampling device vs. experimental testing of accuracy	402
 NINTH PART - AUTOMATIC SAMPLING PLANTS	 405
Chapter 33 : DESIGN OF AUTOMATIC SAMPLING PLANTS	
33.1. Introduction	407
33.2. Achievement of sampling accuracy	407
33.3. Achievement of sampling reproducibility	408
33.4. Allotment of the expendable sampling variance	409

33.5. Sampling large tonnages of coarse materials	410
33.6. Conclusions	412

#### Chapter 34 : TYPICAL FLOW-SHEETS OF AUTOMATIC SAMPLING PLANTS

34.1. Introduction	413
34.2. Sampling of a bauxite ore	414
34.3. Sampling of a nickel ore	416
34.4. Sampling of an iron ore	418
34.5. Sampling of the raw mix fed to a cement factory	420
34.6. Commercial sampling of uranium concentrates	422

REFERENCES	425
------------	-----

INDEX	427
-------	-----