

| <i>Preface</i>   | <i>page xi</i> |
|--|----------------|
| <b>1 Large deviations: basic results</b>   | 1              |
| Introduction   | 1              |
| 1.1 Cramér–Chernoff theorem on $\mathbb{R}$  | 3              |
| 1.2 Abstract formulation   | 20             |
| 1.3 Sanov theorem for finite ‘alphabets’   | 28             |
| 1.4 Cramér theorem on $\mathbb{R}^d$   | 39             |
| 1.5 Cramér theorem in infinite dimensional spaces  | 44             |
| 1.6 Empirical measures. Sanov theorem  | 56             |
| <b>2 Small random perturbations of dynamical systems. Basic estimates of Freidlin and Wentzell</b> | 64             |
| 2.1 Brownian motion  | 65             |
| 2.2 Itô’s integral   | 77             |
| 2.3 Itô’s equations  | 87             |
| 2.4 Basic Freidlin and Wentzell estimates  | 90             |
| 2.5 Freidlin and Wentzell basic estimates. Variable diffusion coefficients                         | 98             |
| 2.6 Exit from a domain   | 104            |
| <b>3 Large deviations and statistical mechanics</b>  | 118            |
| 3.1 Large deviations for dependent variables. Gärtner–Ellis theorem                                | 118            |
| 3.2 Large deviations for Markov chains   | 125            |
| 3.3 A brief introduction to equilibrium statistical mechanics                                      | 134            |
| 3.4 Large deviations for Gibbs measures  | 176            |

|          |  |     |
|----------|--|-----|
| <b>4</b> | <b>Metastability. General description. Curie–Weiss model.</b>  |     |
|          | <b>Contact process</b>   | 198 |
| 4.1      | The van der Waals–Maxwell theory   | 198 |
| 4.2      | The pathwise approach: basic description   | 225 |
| 4.3      | The Curie–Weiss Markov chain   | 226 |
| 4.4      | The Harris contact process   | 242 |
| 4.5      | Notes and comments   | 277 |
| <b>5</b> | <b>Metastability. Models of Freidlin and Wentzell</b>  | 287 |
| 5.1      | The coupling method of Lindvall and Rogers   | 289 |
| 5.2      | The case of a double well potential  | 294 |
| 5.3      | General case. Asymptotic magnitude of the escape time  | 302 |
| 5.4      | Cycles and asymptotic unpredictability of the escape time  | 319 |
| 5.5      | Notes and comments   | 329 |
| <b>6</b> | <b>Reversible Markov chains in the Freidlin–Wentzell regime</b>                                      | 335 |
|          | Introduction   | 337 |
| 6.1      | Definitions and notation   | 338 |
| 6.2      | Main results   | 348 |
| 6.3      | Restricted dynamics  | 367 |
| 6.4      | Conditional ergodic properties   | 370 |
| 6.5      | Escape from the boundary of a transient cycle  | 372 |
| 6.6      | Asymptotic exponentiality of the exit time   | 375 |
| 6.7      | The exit tube  | 378 |
| 6.8      | Decomposition into maximal cycles  | 385 |
| 6.9      | Renormalization  | 388 |
| 6.10     | Reduction and recurrence   | 395 |
| 6.11     | Asymptotics in probability of tunnelling times   | 397 |
| <b>7</b> | <b>Metastable behaviour for lattice spin models at low temperature</b>                               | 399 |
|          | Introduction   | 399 |
| 7.1      | The standard stochastic Ising model in two dimensions  | 401 |
| 7.2      | The local minima   | 406 |
| 7.3      | Subcritical and supercritical rectangles   | 410 |
| 7.4      | Subcritical configurations and global saddles  | 412 |
| 7.5      | Alternative method to determine $\Phi(-\underline{1}, +\underline{1})$                               | 424 |
| 7.6      | Extensions and generalizations   | 427 |
| 7.7      | The anisotropic ferromagnetic Ising model in two dimensions  | 428 |
| 7.8      | Alternative approach to study of the $J_1 J_2$ model   | 433 |
| 7.9      | The ferromagnetic Ising model with nearest and next nearest neighbour interactions in two dimensions | 438 |
| 7.10     | The ferromagnetic Ising model with alternating field   | 443 |

|      |  |     |
|------|--|-----|
| 7.11 | The dynamic Blume–Capel model. Competing metastable states and different mechanisms of transition        | 447 |
| 7.12 | Metastability in the two-dimensional Ising model with free boundary conditions                           | 454 |
| 7.13 | Standard Ising model under Kawasaki dynamics   | 456 |
| 7.14 | Metastability for reversible probabilistic cellular automata   | 476 |
| 7.15 | Discussion of the results of Bovier and Manzo  | 480 |
| 7.16 | Metastability at infinite volume and very low temperature for the stochastic Ising model                 | 483 |
| 7.17 | Metastability at infinite volume and very low temperature for the dynamic Blume–Capel model              | 486 |
| 7.18 | Metastability for the infinite volume stochastic Ising model at $T < T_c$ in the limit $h \rightarrow 0$ | 488 |
| 7.19 | Applications   | 490 |
| 7.20 | Related fields   | 491 |
|      | <i>References</i>  | 493 |
|      | <i>Index</i>   | 507 |