

Dipl.-Ing. Patrick P. Erk, München

Separation Control on a Post-Stall Airfoil Using Acoustically Generated Perturbations

Reihe **7**: Strömungstechnik

Nr. **328**

Contents

Abstract	VIII
Zusammenfassung	IX
List of Symbols	X
1 Introduction	1
2 Experimental Setup and Data Processing	5
2.1 Airfoil Model	5
2.1.1 Criteria for Profile Selection	5
2.1.2 Design of Model	7
2.1.3 Design of Perturbation Source	12
2.1.4 Traverse Systems	14
2.2 Wind-Tunnel Characteristics	14
2.3 Experimental Methods	16
2.3.1 Oil-Flow Visualizations	16
2.3.2 Wind-Tunnel Balance	17
2.3.3 Pressure Measurements	17
2.3.4 Free-Stream Velocity	19
2.3.5 Microphone Measurements	20
2.3.6 Hot-Wire Measurements	20
2.4 Measuring Devices and Data Acquisition	22
2.5 Data Processing	22
2.5.1 Statistical Procedures	22
2.5.2 Drag Measurements	26
2.5.3 Correction of Aerodynamic Data	26
2.5.4 Presentation Techniques	26
3 Basic Flow without Perturbations	28
3.1 State of the Art	28

3.1.1	Types of Separation on Airfoils	28
3.1.2	Flow at High Angles of Attack	29
3.2	Experimental Results	31
3.2.1	Pressure Measurements	31
3.2.2	Flow Visualizations	33
3.2.3	Balance Data	40
3.2.4	Velocity Measurements	41
3.2.5	Validity Checks	48
3.2.6	Remarks on the Numerical Simulation	49
3.3	Summary	50
4	Airfoil Experiments With Stall Control	52
4.1	State of the Art	52
4.1.1	Stall Control with Internal Acoustic Excitation	52
4.1.2	Characterization of Perturbation Strength	53
4.2	Dimensional Analysis	54
4.3	Reattachment of Leading-Edge Flow	57
4.3.1	Oil-Flow Visualization	57
4.3.2	Effect of Forcing on Lift Curve	60
4.3.3	Pressure Measurements	60
4.3.4	Velocity Profiles	63
4.3.5	Velocity Autospectra	69
4.4	Lift Saturation	73
4.4.1	Balance Data	73
4.4.2	Pressure Measurements	75
4.4.3	Velocity Profiles	78
4.4.4	Phase-Averaged Velocity Profiles	82
4.5	Lift Hysteresis	84
4.5.1	Pressure Scans	85
4.5.2	Balance Data	88
4.5.3	Velocity Profiles	88
4.5.4	Effect of Turbulators	90
4.6	Wake Profiles	90
4.7	Effect of Sine-Sweep Forcing	93
4.8	Summary	94
5	Near Field of the Perturbation Source	96
5.1	State of the Art	96
5.1.1	Separation Control Using Strong Acoustic Perturbations	96
5.1.1.1	Cylinders	97
5.1.1.2	Airfoils	98

5.1.1.3	Diffusers	98
5.1.1.4	Other Configurations	98
5.1.2	Flow Properties of Helmholtz Resonators	99
5.1.2.1	Resonators without Cross-Flow	99
5.1.2.2	Driven Resonator with Cross-Flow	100
5.1.3	Motivation	102
5.2	Experimental Set-Up	102
5.3	Theoretical Approaches	104
5.4	Oscillating Slot-Flow Without Cross-Flow	104
5.4.1	Naming Conventions	104
5.4.2	Flow visualizations	106
5.4.3	Velocity Measurements	108
5.5	Oscillating Slot-Flow with Cross-Flow	116
5.5.1	Flow Visualizations	116
5.5.2	Velocity Measurements	119
5.6	Summary	122
6	Conclusions	123
A	Properties of Phase Averages	127
A.1	Phase Averaging as Filter Process	127
A.2	Statistical Errors in the Phase Average	129
B	Effect of Spanwise Slot Geometry	131
C	Slot Flow: Theoretical Approaches	134
C.1	Spanwise Standing Waves	134
C.2	Bernoulli Equation for Oscillating Slot Flow	135
D	Effect of Slot Geometry	143
	References	148
	Index	155