

Dipl.-Ing. Dr. techn. Gernot Krammer, Graz

Gas-Solid Reactions at a Single Particle

The Link Between Theory and Experiment

Reihe **3**: Verfahrenstechnik

Nr. **526**

Contents

1	Introduction	1
2	Basic Characterization of a Design of an Experiment	4
2.1	Differential versus integral condition	4
2.2	Isothermal versus nonisothermal conditions	5
2.3	Continuous versus batch design	6
2.4	Motion of the sample	7
3	Evaluation of Results	8
3.1	Conversion, reaction rate, and reaction time	9
3.2	Operating versus reaction conditions	10
3.3	Reaction history, memory, and remembrance	12
3.4	A method to obtain the link between reaction rate, reaction pa- rameters, and reaction surface area	15
3.4.1	Reaction surface area	16
3.4.2	Influence of the reaction parameter on the reaction rate - determination of the expression K	17
3.4.3	Further opportunities of the method	22
3.4.4	Summary	23
4	Experimental and Theoretical Investigations - Examples	26
4.1	Decomposition of limestone	27
4.1.1	Introduction and literature	27
4.1.2	Experimental	30
4.1.3	Results and discussion	32
4.2	Reaction of $Ca(OH)_2$ with SO_2 at low temperature	42
4.2.1	Introduction and literature	42
4.2.2	Experimental	44
4.2.3	Results and discussion	48
4.2.4	Comparison: laboratory versus pilot plant results	54
4.3	Oxidation of sponge iron with H_2O for H_2 production	59
4.3.1	Introduction	59

4.3.2	Experimental procedure and material	59
4.3.3	Results and discussion	64
4.4	Nitrous oxide formation in fluidized bed char combustion	73
4.4.1	Introduction and literature	73
4.4.2	Experimental	76
4.4.3	Results and discussion	77
4.5	Evolution of porosity and thermal conductivity during char oxidation	82
4.5.1	Introduction and literature	82
4.5.2	Experimental and theoretical background	83
4.5.3	Results and discussion	88
5	Conclusions and Recommendations	93
A	Survey of Experimental Devices	99
A.1	Thermogravimetric analyzer (TGA)	100
A.2	Calorimetric device (DSC, DTA)	102
A.3	Screen heater	103
A.4	Drop tube reactor and entrained flow reactor	105
A.5	Fixed and moving bed reactor	108
A.6	Fluidized bed reactor	110
A.7	Shock tube	112
A.8	Electrodynamic balance (EDB)	114
A.9	Ultrasonic levitator	117
A.10	Upstream reactor	118
A.11	Comparison of experimental devices	119
A.11.1	Rates of changes of reaction conditions	121
A.11.2	Temperature and pressure range	122
A.11.3	Characteristic reaction time	124
A.11.4	Sample size and feeding rate	125
A.11.5	Benefits and drawbacks	126

B Examples to Chapter 3.4	129
B.1 Example 1: $K = K(\gamma)$ and $\gamma \neq \gamma(t)$	129
B.2 Example 2: $K = K(\gamma)$ and $\gamma = \gamma(t)$	133
B.3 Example 3: $K = K(\gamma)$ with $\gamma = \gamma(X)$ but $\gamma \neq \gamma(t)$	137
 References	 143