

M. Sc. Sheng-Hui Wang, Darmstadt

Fatigue Crack Closure in Titanium Alloys

Reihe **18**: Mechanik/
Bruchmechanik

Nr. **227**

CONTENTS

ZUSAMMENFASSUNG	VII
1 INTRODUCTION	1
2 LITERATURE REVIEW	3
2.1 Fatigue Crack Propagation	3
2.1.1 Transition in Fracture Mechanism	4
2.1.2 Effect of Crack Deflection on Driving Force	6
2.1.3 Microstructural Effects on Crack Growth in Titanium Alloys	8
2.2 Fatigue Crack Closure	9
2.2.1 The Crack Closure Phenomenon and Mechanisms	9
2.2.2 The Significance of Crack Closure	12
2.2.3 Plasticity-Induced Crack Closure	14
2.2.4 Roughness-Induced Crack Closure	18
3 EXPERIMENTAL PROCEDURE	22
3.1 Materials and Heat Treatment	22
3.2 Tensile Testing	23
3.3 Fatigue Testing	24
3.4 Microscopy and Fractography	28
3.5 Quantitative Profiles Analysis	29
4 MICROSTRUCTURE AND TENSILE PROPERTIES	33
4.1 Ti-2.5Cu Alloy	33
4.2 TIMETAL 1100	34
5 FRACTURE SURFACE MORPHOLOGY AND CRACK PATH PROFILES	40
5.1 Microstructural Features of Fracture	40
5.1.1 Equiaxed Microstructures in Ti-2.5Cu	40
5.1.2 Lamellar Microstructures in Ti-2.5Cu	48
5.1.3 TIMETAL 1100	51
5.2 Fracture Surface Roughness Parameters	57
5.2.1 Quantitative Assessment of Crack Path Profiles	57
5.2.2 Assessment of Fracture Surface Roughness Parameters	61

6	FATIGUE CRACK CLOSURE AND CRACK GROWTH	64
6.1	Effects of Microstructure and Stress Intensity on Crack Closure	64
6.1.1	Equiaxed Microstructures	64
6.1.2	Lamellar Microstructures	66
6.2	Influence of Loading History on Crack Closure	68
6.2.1	Plasticity-Induced Crack Closure	68
6.2.2	Roughness-Induced Crack Closure	71
6.2.3	Change in Crack Closure Mechanism	71
6.3	Fatigue Crack Growth Rate	73
6.3.1	Effect of Loading History	73
6.3.2	Effect of Microstructure	74
7	MODEL FOR ROUGHNESS-INDUCED CLOSURE	78
7.1	The Model	78
7.2	Comparison of Predictions and Experiments	84
8	DISCUSSION AND CONCLUSIONS	87
8.1	Change in Fracture Mechanism	87
8.1.1	Size of the Plastic Zones	87
8.1.2	Effect of Grain Size and Ageing	88
8.1.3	Effect of Lamellae Width	90
8.2	Assessment of Earlier and Present Models	91
8.3	Influence of Stress Intensity on Roughness-Induced Closure	94
8.4	Combined Influence of Crystallographic and Ductile Fracture	95
8.5	Plasticity-Induced Crack Closure	96
8.6	Loading History Effect and Load-Shedding Testing Procedure	99
8.7	Conclusions	99
9	SUMMARY	101
	LIST OF SYMBOLS AND ABBREVIATIONS	105
	REFERENCES	108