

Bosonization and Strongly Correlated Systems

Alexander O. Gogolin

Imperial College of Science and Technology, London

Alexander A. Nersesyan

Institute of Physics, Tbilisi, Georgia

Alexei M. Tsvelik

Brasenose College, University of Oxford



CAMBRIDGE
UNIVERSITY PRESS

Contents

<i>Preface</i>	ix
<i>Acknowledgements</i>	xxii
Part I: Technical aspects of bosonization	1
1 A simple case of Bose–Fermi equivalence: Jordan–Wigner transformation	3
2 One-dimensional fermions. States near the Fermi points	5
I Chiral anomaly	8
II Anomalous commutators	10
3 Gaussian model. Lagrangian formulation	16
I Bosonization	21
II Interaction with an electromagnetic field; gauge invariance	23
4 Conformal symmetry and finite size effects	25
I Gaussian model in the Hamiltonian formulation	28
5 Virasoro algebra	34
I Ward identities	39
II Subalgebra $sl(2)$	40
6 Structure of Hilbert space in conformal theories	41
I Differential equations for correlation functions	43
II Dotsenko–Fateev bosonization scheme for the minimal models	47
7 Current (Kac–Moody) algebras; the first assault	53
I Sugawara Hamiltonian for Wess–Zumino–Novikov–Witten model	55
II Knizhnik–Zamolodchikov (KZ) equations	58
8 Relevant and irrelevant fields	61

9	Bose–Einstein Condensation in two dimensions; Beresinskii–Kosterlitz–Thouless transition	67
10	The sine-Gordon model	73
I	The renormalization group analysis	73
II	Exact solution of the sine-Gordon model	82
11	Spin $S = 1/2$ Heisenberg–Ising chain	93
I	Explicit expression for the dynamical magnetic susceptibility	98
12	Ising model	101
13	More about the WZNW model	115
I	Special cases	115
	I.1 $SU_1(2)$ WZNW model as a Gaussian model	115
	I.2 $SU_2(2)$ WZNW model and the Ising model	117
	I.3 $SU_4(2)$ as a theory of two bosonic fields	119
	I.4 $SU_{10}(2)$ as a theory of three bosonic fields	119
II	Deformation of the WZNW model and coset constructions	120
14	Non-Abelian bosonization	122
I	WZNW model in the Lagrangian formulation	122
II	Derivation of the Lagrangian	125
III	Calculation of a nontrivial determinant	129
	Part II: Application of the bosonization technique to physical models in $(1 + 1)$-dimensions	133
15	Interacting fermions with spin	141
16	Spin-1/2 Tomonaga–Luttinger liquid	147
17	Instabilities of a Tomonaga–Luttinger liquid	155
I	Electron–phonon interaction	155
	I.1 Incommensurate band filling, the effect on K_c	155
	I.2 Commensurate band filling	159
	I.3 Appendix	160
II	Spectral gap in the spin sector	161
III	Optical conductivity	167
IV	Gap in the charge sector at half-filling and the case of small doping	170
V	Appendix. RG equations for the model of one-dimensional electrons from the $SU(2)$ current algebra	174
18	Interacting fermions with broken spin rotational symmetry	179
I	$U(1)$ -symmetric Thirring model: relation to sine-Gordon and massive Thirring models	181
II	XYZ Thirring model	184
III	Spin correlation functions	186

IV	The role of magnetic field	191
	IV.1 Spin-flop transition in the XYZ model	195
	IV.2 Toy model for an orbital antiferromagnet	196
19	What may happen with a Tomonaga–Luttinger liquid in three dimensions	203
I	Appendix. Fermionic Green’s function	208
	I.1 Coordinate space Green’s function	209
	I.2 The spectral function ($v_c > v_s$)	209
	I.3 Fourier transform of the Green’s function ($v_c > v_s$)	212
	I.4 The spectral function, $v_s > v_c$	216
	I.5 Fourier transform of Green’s function, $v_s > v_c$	217
20	Two weakly coupled Tomonaga–Luttinger liquids; spinless case	219
21	Spin liquids in one dimension: example of spin ladders	232
I	Coupling of identical chains; the Abelian bosonization	234
II	Correlation functions for the identical chains	239
	II.1 Staggered susceptibility of the conventional (Haldane) spin liquid	242
	II.2 Dimerized spin liquid	245
III	Inequivalent chains; non-Abelian bosonization	248
IV	String order parameter in the spin-ladder model	253
V	Appendix A. The topological term emerging from the Wess–Zumino term	255
VI	Appendix B. Hidden $Z_2 \times Z_2$ symmetry and string order parameter in the bond-alternating $S = 1/2$ Heisenberg chain	256
22	Spin-1/2 Heisenberg chain with alternating exchange	260
I	Appendix. Multiparticle formfactors	270
23	Superconductivity in a doped spin liquid	274
I	Bosonization and fermionization	276
II	Superconducting fluctuations	279
III	Conclusions	281
IV	Appendix. Conditions for suppression of the single-particle tunneling	282
24	Edge states in the quantum Hall effect	284
	Part III: Single impurity problems	289
25	Potential scattering	292
I	Introduction	292
II	Reduction of the local scattering problem to one dimension	293
III	The scattering phase	298

26	X-ray edge problem (Fermi liquids)	302
I	Introduction	302
II	Statement of the problem	305
	II.1 Many-body formulation	306
	II.2 One-particle formulation	310
III	Linked clusters expansion	312
IV	Nozières–De Dominicis solution	317
V	Exact solution for the overlap integral	321
VI	Bosonization approach to the X-ray edge problem	327
	VI.1 Boundary condition changing operator (chiral anomaly)	328
	VI.2 X-ray response functions via bosonization	331
VII	Appendix A. Parquet approximation	332
VIII	Appendix B. The Wiener–Hopf method	345
IX	Appendix C. Orthogonality of Slater determinants	347
27	Impurities in a Tomonaga–Luttinger liquid	350
I	Introduction	350
II	Weak-coupling analysis of a single impurity	351
	II.1 Bosonization of the impurity Hamiltonian	352
	II.2 Lagrangian formulation: local action	355
	II.3 Renormalization group analysis of local operators	356
III	Strong-coupling analysis	358
	III.1 Open boundary bosonization	360
	III.2 Strong-coupling fixed point	363
IV	Exact solution at $K = 1/2$ and the conductance	365
V	Relation of the impurity backscattering model to the Caldeira–Leggett model	369
VI	X-ray edge problem in Tomonaga–Luttinger liquids	374
28	Multi-channel Kondo problem	384
I	Introduction	384
II	Qualitative analysis	386
III	The Toulouse limit	389
IV	The Emery–Kivelson solution	392
	IV.1 Green’s functions and zero-field free energy	395
	IV.2 Magnetic field effects	403
	IV.3 Wilson ratio	408
V	The Toulouse limit for the four-channel Kondo model	408
VI	Coulomb blockade	413
	VI.1 One-dimensional electrons in point contacts	413
	VI.2 Coulomb blockade and two-channel Kondo model	416
	 <i>General bibliography</i>	421
	 <i>Index</i>	422