

---

# Table of Contents

<b>Preface.....</b>	<b>ix</b>
<b>1. Introduction.....</b>	<b>1</b>
Messaging Concepts	1
Messaging Models	2
Point-to-Point	3
Publish/Subscribe	3
Message Representation	4
Examples	5
Locations Application Using STOMP	6
Motions Application Using MQTT	9
Summary	12

---

## Part I. STOMP

<b>2. Mobile Messaging with STOMP.....</b>	<b>17</b>
StompKit	18
Create the Locations Project with Xcode	18
Create the Podfile	19
Identify the Device	22
Display the Device Position	26
Access the Device Geolocation Data with CoreLocation Framework	27
Simulate a Location with iOS Simulator	32
Create a STOMP Client with StompKit	33
Connect to a STOMP Broker	34
Disconnect from a STOMP Broker	35
Send STOMP Messages	36

Display StompKit Debug Log	39
ActiveMQ Admin Console	40
A Simple STOMP Consumer	41
Display the Text Messages	43
Receive STOMP Messages	49
Subscribe to a STOMP Destination	49
Unsubscribe from the Destination	51
Finish the Application	51
Summary	53
<b>3. Web Messaging with STOMP.....</b>	<b>55</b>
HTML5 Web Sockets	56
stomp.js, STOMP over Web Sockets	56
Bootstrap the Locations Web Application	57
Create a Stomp Client with stomp.js	58
Connect to a STOMP Broker	59
Receive STOMP Messages	60
Subscribe to a Wildcard Destination	61
Draw the Device Locations on a Map	64
Send STOMP Messages	67
Disconnect from the STOMP Broker	70
Summary	71
<b>4. Advanced STOMP.....</b>	<b>73</b>
Frame Representation	74
Headers	74
Authentication	75
StompKit Example	75
stomp.js Example	75
Message Acknowledgment	76
StompKit Example	77
stomp.js Example	77
Transactions	78
StompKit Example	80
stomp.js Example	80
Error Handling	81
StompKit Example	82
stomp.js Example	83
Receipts	84
StompKit Example	85
stomp.js Example	86
Heart-Beating	86

StompKit Example	89
stomp.js Example	89
Summary	90
<b>5. Beyond STOMP.....</b>	<b>91</b>
Message Persistence	91
Filtered Consumer	92
Priority	93
Expiration	94
Summary	95

---

## Part II. MQTT

<b>6. Mobile Messaging with MQTT.....</b>	<b>99</b>
MQTTKit	100
Create the Motions Project with Xcode	100
Create the Podfile	101
Identify the Device	102
Display the Device Motions Values	104
Capture the Device Motions with CoreMotion Framework	106
Create an MQTT Client with MQTTKit	109
Connect to an MQTT Broker	110
Disconnect from an MQTT Broker	111
Send MQTT Messages	111
Quality of Service	112
Retained Message	113
Receive MQTT Messages	116
Subscription	117
Unsubscribing	118
Define an MQTTMessage Handler	119
Summary	121
<b>7. Web Messaging with MQTT.....</b>	<b>123</b>
Eclipse Paho JavaScript Client	123
Bootstrap the Motions Web Application	124
Create an MQTT Client with mqttws31.js	125
Connect to the MQTT Broker	125
Receive MQTT Messages	126
Topic Wildcards	126
Draw Sparklines	128
Send MQTT Messages	130

<b>8. Advanced MQTT.....</b>	<b>133</b>
Authentication	133
MQTTKit Example	133
mqttws31.js Example	134
Error Handling	134
MQTTKit Example	135
mqttws31.js Example	135
Heart-Beating	136
MQTTKit Example	136
mqttws31.js Example	137
Last Will	137
MQTTKit Example	138
mqttws31.js Example	140
Clean Session	141
MQTTKit Example	141
mqttws31.js Example	142
Beyond MQTT?	142
Summary	143

---

## Part III. Appendixes

<b>A. Apache ActiveMQ.....</b>	<b>147</b>
<b>B. Mosquitto.....</b>	<b>151</b>
<b>Index.....</b>	<b>157</b>