

Drago Dragutin Jurić, Bulleen, Vic.

Sodium Resistant Binder Carbon for Aluminium Reduction Cell Cathodes

Reihe **21**: Elektrotechnik

Nr. **208**

1	INTRODUCTION	
1.1	Service Demands on Aluminium Reduction Cell Cathodes	1
1.2	Properties and Formation of Sodium Resistant Carbon	4
1.2.1	Carbon Structure and Properties	4
1.2.2	Formation of High Fermi Level Carbon	6
1.3	Possible Alternative Routes to Sodium Resistant Carbon	7
1.3.1	Pyrolysis Mechanism	7
1.3.2	Strain Ordering	8
1.3.3	Incorporation of Nitrogen	9
1.4	Objectives and Hypothesis	10
2	EXPERIMENTAL	
2.1	Materials Used in This Study	11
2.1.1	Reagents	11
2.1.2	Gases	12
2.2	Analytical Methods	13
2.2.1	Size Exclusion Chromatography	13
2.2.2	Fourier Transformed Infrared Spectroscopy	13
2.2.3	Nuclear Magnetic Resonance Spectroscopy	14
2.2.4	pH Measurement	15
2.2.5	Elemental Analysis	16
2.2.6	Thermal Analysis	16
2.2.7	Gas Analysis	17
2.2.8	Autoclave Tests	19
2.2.9	X-ray Diffraction	20
2.2.10	X-ray Photoelectron Spectroscopy	21
2.2.11	Mercury Intrusion Porosimetry	22
2.2.12	Microporosity	22

2.2.13	Laser Raman Spectroscopy	22
2.2.14	Transmission Electron Microscopy	22
2.3	Preparative Procedures	23
2.3.1	Sample Preparation	23
2.3.2	Titanium Diboride Reactivity in Resin Environment	24
2.3.3	Curing	24
2.3.4	Pyrolysis	26
3	RESULTS	
3.1	Resin Curing Studies	27
3.1.1	Novolac-Hexamine System	27
3.1.2	Furfuryl Alcohol-Hexamine Reactions	33
3.1.3	Novolac-Furfuryl Alcohol-Hexamine	35
3.1.3.1	Thermal Analysis	35
3.1.3.2	Factors Influencing Curing	38
3.1.3.3	Chemical Changes During Curing	44
3.1.3.4	Structural Changes During Curing	48
3.1.3.5	Physical Changes During Curing	54
3.1.3.6	Optimum Binder Composition	60
3.2	Effect of Titanium Diboride on Curing of Novolak-Furfuryl Alcohol Binder	62
3.2.1	Characterisation of Titanium Diboride Powder	62
3.2.2	Titanium Diboride - Resin Interactions	65
3.2.3	Effect of Impurities on Curing Reaction	67
3.2.3.1	Boron Oxide	67
3.2.3.2	Organo-Titanium Catalyst	70
3.2.3.3	Titanium Diboride	70
3.2.3.4	Boron Oxide/Hexamine	71

3.2.4	Evolved Gas Analysis	74
3.2.4.1	Boron Oxide	74
3.2.4.2	Titanium Diboride	76
3.2.5	Structure of Polymer	77
3.2.5.1	Boron Oxide	77
3.2.5.2	Organo-Titanium Catalyst	78
3.2.5.3	Titanium Diboride	79
3.2.6	Curing Yield	80
3.3	Pyrolysis Studies	83
3.3.1	Thermal Analysis	83
3.3.1.1	Conventional Resin Systems	83
3.3.1.2	Hexamine Cured Novolak-Furfuryl Alcohol Polymer	87
3.3.1.3	Factors Affecting Pyrolysis	90
3.3.1.4	Pyrolysis Kinetics	93
3.3.2	Structural Changes of Char During Baking	95
3.3.2.1	Thermal Analysis of Polymer	95
3.3.2.2	Infra-red Spectra	96
3.3.2.2.1	Novolak-Furfuryl Alcohol Polymer	96
3.3.2.2.2	Boron Oxide	99
3.3.2.3	Organo-Titanium Catalyst	102
3.3.3	Evolved Gas Analysis	103
3.3.4	Chemical Changes of Char During Pyrolysis	110
3.3.4.1	Factors Affecting Carbon Retention	111
3.3.4.1.1	Composition	111
3.3.4.1.2	Effect of Impurities	112
3.3.4.2	Factors Affecting Nitrogen Retention	114
3.4	Structure of Carbon Formed	116
3.4.1	Pore Size Distribution	116
3.4.1.1	Char from Pure Resins	116

3.4.1.2	Titanium Diboride - Carbon Composite	118
3.4.2	Microstructure of Carbons Formed	119
3.4.2.1	Carbon from Pure Resins	119
3.4.2.2	Titanium Diboride - Carbon Composite	123
3.4.3	X-ray Diffraction Analysis	124
3.4.3.1	Char from Pure Resins	124
3.4.3.2	Titanium Diboride - Carbon Composite	127
3.4.4	Laser Raman Spectroscopy	129
3.4.4.1	Char from Pure Resins	129
3.4.4.2	Titanium Diboride - Carbon Composite	131
4	DISCUSSION	133
	APPENDIX 1	143
	APPENDIX 2	147
	APPENDIX 3	161
	APPENDIX 4	177
	APPENDIX 5	180
	BIBLIOGRAPHY	181
	Biography	185