

Brazing, High Temperature Brazing and Diffusion Bonding

LÖT 2016

Lectures and Posters of the 11th International Conference
taking place in Aachen on 7th to 9th June 2016

Organised by



In kind collaboration with

ASM International, Materials Park,
American Welding Society (AWS), Miami,
European Association for Brazing and Soldering (EABS), Congleton,
L'Institut Belge de la Soudure (IBS), Brussels,
International Institute of Welding (IIW), Vilepinte,
Nederlands Instituut voor Lastechniek (NIL), Zoetermeer,
Brazing and Soldering Society – an affiliated Association of DVS, Düsseldorf



Table of contents

Preface

Opening

Brazer, operator and brazing coordinator – increasing demand for qualified specialists	1
T. Wilhelm, C. Eisenbeis and H. Seimer, Duisburg/DE	
Transformation/dissolution (T/D) testing in a grouping and read across approach to determine the environmental classification of alloy brazing pastes	6
N. Dom, N. Moelants, Olen/BE, D. Schnee, Hanau/DE, and H. Krappitz, Esslingen/DE	

Joining of ceramics, glass and metals I

Ultrasonic soldering of metals, light metals, glasses and ceramics	12
I. J. Rass, Baesweiler/DE	
Active soldering of ceramic-ceramic and ceramic-metal compounds for aerospace applications	17
A. Schmidt, Th. Schubert, Th. Weißgärber, B. Kieback, Dresden/DE, C. Wilhelmi, München/DE, M. Süß and M. Funke, Immenstaad/DE	
Low temperature joining as an alternative process to soldering in thermal applications	22
T. Baffie, T. Dessolier and J. Leforestier, Grenoble/FR	
A preliminary research of microstructure and properties of Li-Ti ferrite joints fabricated by brazing technique with bismuthate glass solder	26
P. Lin, P. He, T. Lin and M. Zhao, Harbin/CN	
The effect of Ag-Cu-Ti braze preform thickness on the nanomechanical properties of alumina-to-alumina brazed joints	32
T. A. Kassam, Cambridge/UK and Uxbridge/UK, H. B. Nadendla, Uxbridge/UK, N. Ludford, Cambridge/UK, and U. Hangen, Aachen/DE	

Joining of ceramics, glass and metals II

Experimental investigations of TiAl- brazes for ceramic joining	44
H.-P. Martin and A. Triebert, Dresden/DE	
Development of Cu-Al-Ti filler metals for Al ₂ O ₃ /SS brazed joints applied for Na-S batteries cells.....	50
H. Heo, Pusan/KR, K. Jung, Pohang/KR, and C. Kang, Pusan/KR	
Brazing of kovar to alumina and LTCC for integration of ceramic pressure sensors	55
J. Schilm, A. Pönicke, A. Goldberg, U. Partsch and A. Michaelis, Dresden/DE	
Influence of sandwich brazing filler metal compositions on hardmetal-steel joint stress and strain evolution	62
M. Magin, Mamer/LU, D. Schnee, M. Schimpfermann, Hanau/DE, and S. Rassbach, Mamer/LU	
Sealing performance of Ag-CuO brazing filler on porous La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O ₃₋₅ applied in an oxygenation membrane module.....	68
S. Herzog, A. Kaletsch and C. Broeckmann, Aachen/DE	

Joining of light weight metals I

Structure and strength of titanium honeycomb and heat exchanger joints brazed by new amorphous foils	74
A. E. Shapiro, Columbus/US, and Y. Flom, Greenbelt/US	
Repair brazing and protection of titanium turbine components using polymer bonded tapes	78
S. M. Uddin, H. Krappitz, Esslingen/DE, J. Barnikel, Mülheim/DE, and I. Reinkensmeier, Berlin/DE	
Surface pretreatment of steel sheet for compound casting process of low-distortion and low-gap aluminium cast-steel sheet hybrid	84
K. Bobzin, M. Öte, S. Wiesner and L. Gerdt, Aachen/DE	

Joining of light weight metals II

Material effects on the cathodic arc cleaning in laser-plasma processing of aluminum alloys	90
T. Radel, P. Woizeschke and F. Vollertsen, Bremen/DE	
Brazing of magnesium alloy and austenitic stainless steel using a copper-filler, deposited by means of an arc-PVD process	96
W. Tillmann, L. Wojarski and B. Lehmert, Dortmund/DE	
Arc-brazing of high strength steels using copper-based brazing materials	102
M. Angerhausen, C. Geffers, A. Pipinikas, U. Reisgen, Aachen/DE, J. Barthelmie and V. Wesling, Clausthal/DE	
Penetrating and diffusion behavior of eutectic liquid during Mg/Steel contact reactive brazing using pure nickel as interlayer	108
H. Li, H. Nie, Beijing/CN, W. Long, S. Zhong, Zhenzhou/CN, and Z. Chen, Beijing/CN	

Process and product quality

Advances in strength measurements of glass sealants used for solid oxide fuel cells	113
S.-M. Gross-Barsnick, C. Babelot, D. Federmann and U. Pabst, Jülich/DE	
Application of electrical resistance measurement for quality assurance of brazed joints	118
W. Tillmann and N. Sievers, Dortmund/DE	
Fatigue strength of brazed components considering the influence of brazing quality, mean stresses and loading type	123
J. Baumgartner, Darmstadt/DE, W. Tillmann, Dortmund/DE, K. Bobzin, Aachen/DE, L. Wojarski, Dortmund/DE, M. Öte, Aachen/DE, M. Manka, Dortmund/DE, S. Wiesner, Aachen/DE, and N. Sievers, Dortmund/DE	
Investigation of the effect of surface contamination on the wetting behavior of Cu-based filler alloys	128
K. Bobzin, M. Öte, S. Wiesner, Aachen/DE, W. Tillmann, L. Wojarski, M. Manka and A. Eilers, Dortmund/DE	

Diffusion bonding

Diffusion bonding – an application review	133
S. Jahn, F. Gemse and U. Broich, Jena/DE	
Diffusion brazing of AgCu+Ni for high temperature applications	139
D. Feil, T. Herberholz, F. Wetzl, A. Fix, M. Guyenot, Renningen/DE, and G. Schmitz, Stuttgart/DE	
Brazing and diffusion bonding in 3D-manufacturing of titanium alloy structures	144
R. P. J. Denteneer, L. C. P. Krassenburg, J. H. G. Brom, M. I. Menninga, N. J. A. van Veen, A. A. Kodentsov and M. H. Biglari, Son/NL	
Diffusion bonding of large scale parts – system requirements	148
F. Gemse, S. Jahn, J. Peiffer, U. Broich, and A. Löw, Jena/DE	

Assembly of heat exchanger reactors by brazing and diffusion bonding	153
C. Bernardi and D. Macel, Yutz/FR	
Critical approach to the parameters of the diffusion bonding process using the example of 1.1191	156
J. P. Bergmann, F. Petzoldt, R. Schürer and A. Regensburg, Ilmenau/DE	
Simulation of temperature and load distribution for diffusion bonding	161
A. Fey, S. Jahn, F. Gemse and S. Dahms, Jena/DE	

Brazing processes

Optimization of temperature-/time-cycles in brazing through thermodynamic calculations	167
W. H. Müller, Berlin/DE, J. Wilden, Krefeld/DE, B. Schmorl, Berlin/DE, and O. Stahn, Krefeld/DE	
Development of a combined brazing-nitriding process for the production of bipolar plates made of chromium coated metal sheets	174
U. Holländer, F. Weber, D. Wulff, K. Möhwald, H.J. Maier, Garbsen/DE, M. Müller, I. Scharf and T. Lampke, Chemnitz/DE	
Mechanisms of surface deoxidation of stainless steels in vacuum brazing processes	181
C. Kunz, M. Marschewski, W. Maus-Friedrichs, Clausthal-Zellerfeld/DE, S. Schöler, U. Holländer, and K. Möhwald, Hannover/DE	
Fluxfree brazing of copper based alloys and steels at temperatures between 650 °C and 850 °C in monosilane-doped nitrogen	186
F. Weber, U. Holländer, Hannover/DE, J. Schaup, München/DE, K. Möhwald and H. J. Maier, Hannover/DE	
Corrosion protection of steel pipes by soldered clad layers	192
A. E. Shapiro, Columbus/US and G. Fischer, Cleveland/US	
Gaseous process gas additives as flux substitute in arc brazing	197
G. Buchholz, U. Reisgen and K. Wilms, Aachen/DE	

Properties of filler metals and brazed joints

Brazing properties and mechanical strength of new silver based brazing filler metals on the basis Ag-Cu-Zn-Mn with a 10-20 weight % reduced silver content	202
M. Schimpfermann and D. Schnee, Hanau/DE	
Influence of the microstructure on the properties of Fe-based brazed joints	207
S. Weis, M. Elßner and G. Wagner, Chemnitz/DE	
Influence of surface morphology on wetting behaviors of Zn-Al filler metal on aluminum matrix composite	212
H. Zhao, S. Elbel and P. Hrnjak, Urbana/US	
Temperature effects on microstructures of brazing porous copper to copper using Cu-based filler metal	216
T. Zaharinie, M. Sami, F. Yusof, Kuala Lumpur/MY, and T. Ariga, Kanagawa/JP	
Grain boundary penetration at pure copper of brazed joint between pure copper / dissimilar metals	220
Y. Miyazawa, A. Hirono, T. Wasada, Y. Andou, Kanagawa/JP, and F. Kanazaki, Saitama/JP	

Brazing of / with nickel alloys I

New nickel based brazing alloy suitable for very corrosive environments	224
U. Persson, Höganäs/SE, and N. Bornegård, Landskrona/SE	
Influence of boron and phosphor containing nickel based brazing alloy on different base materials	227
M. Marsilius and T. Hartmann, Hanau/DE	
Examination of the influencing factors on the microstructure of AISI 304/ BNi-2 joints	233
W. Tillmann, L. Wojarski, M. Manka, F. Walther, P. Wittke and A. Schmiedt, Dortmund/DE	

Brazing joint properties of Ni-Cr-Si-B-P amorphous brazing foils at elevated temperatures	239
T. Hartmann and M. Marsilius, Hanau/DE	

Brazing of /with nickel alloys II

Microstructures and mechanical properties of Ti ₃ Al/Ni-based superalloy joints brazed with AuNi Filler metal	245
H. P. Xiong, H. S. Ren, B. Chen, S. J. Pang and Y. Y. Cheng, Beijing/CN	

Nickel-brazing-pastes in automotive production – an application example	253
M. T. Schmitt, Eisenberg/DE	

Evaluation of DCB and V-notch fracture mechanics test methods for high temperature brazed joints	257
B. Riggs, A. Benatar, B. T. Alexandrov, Columbus/US, and R. Xu Indianapolis/US	

Development of filler metals

The development of novel brazing filler metals	262
R. Snell, I. Todd, R. Goodall, Sheffield/UK, P. Webb and J. Willingham, Royston/UK	

In-situ synthesis of difficult-to-form brazing filler metals	267
W. M. Long, G. X. Zhang, Q. K. Zhang and C. F. Zhao, Zhengzhou/CN	

Development of copper and nickel based brazing solders with a low brazing and a high remelting temperature	272
M. Schmieding, U. Holländer, K. Möhwald and H. J. Maier, Hannover/DE	

Joining of steels at low temperatures by Ni nanoparticles	278
S. Hausner, S. Weis, G. Wagner, Chemnitz/DE	

A new silver eeduced vacuum brazing filler metal with an improved stainless steel wetting behavior for vacuum sealing applications	285
G. Wiehl and S. Hildebrandt, Hanau/DE	

Braze alloy modification using alternative galvanic platings on hardmetal saw tips	290
S. Rassbach, Mamer/LU, G. Wiehl, Hanau/DE, M. Magin, Mamer/LU, and M. Schimpferman, Hanau/DE	

Poster Session

Development of brazing alloys based on Al-Si-Cu and Al-Si-Ge system for brazing of aluminum alloys with low solidus temperature	296
I. Pashkov, J. Karpova, V. Bazhenov and T. Bazlova, Moscow/RU	

Keyhole brazing – an approach for energy-efficient brazing by using the deep penetration effect	302
T. Radel, P. Woizeschke and F. Vollertsen, Bremen/DE	

Low temperature soldering of glass to metal and its joint properties	307
H. Li, T.-H. Zhu, Beijing/CN, W. Tillmann, Dortmund/DE, and Z.-X. Li, Beijing/CN	

Construction of an experimental set-up for brazing stainless steel samples in low vacuum atmosphere consisting monosilane-doped argon	311
S. Schöler, E. Marin Zimmermann, K. Möhwald, Hannover/DE, C. Kunz and W. Maus-Friedrichs, Clausthal-Zellerfeld/DE	

Economic processing of high volume binder burn out in vacuum furnace	316
R. Stein, Menden/DE, and M. Stroiczek, Düsseldorf/DE	

Development of scaled thrust chamber with diffusion bonding	318
H.-S. Lee, J.-H. Yoon, J.-T. Yoo, and K. No, Daejeon/KR	

Development of the reaction zone at the steel interface during aging of reactive air brazed ceramic/metal joints	323
K. Bobzin, M. Öte and S. Wiesner, Aachen/DE	
Reactive partial transient liquid phase diffusion bonding of SiC-SiC	328
W. Tillmann, C. Schaak and L. Wojarski, Dortmund/DE	
Brazing of dissimilar metals with thermal gradient and mechanical characteristic	334
M. Kurata, K. Kawata and Y. Miyazawa, Kanagawa/JP	
Evaluation of new silver-free brazing filler metal in the form of wire or paste	338
A. E. Shapiro, B. T. Alexandrov and M. J. Duffey, Columbus/US	
Development of AlCuTi and AlCuAgTi brazing filler alloys for joining processes of aluminum alloys with low brazing temperatures	341
W. Tillmann, L. Wojarski, M. Manka and T. Henning, Dortmund/DE	
Characterization of Ti-6Al-4V joints, brazed with a nanostructured Cu-W filler material	347
W. Tillmann, M. Kuck, L. Wojarski, B. Lehmert and N. Sievers, Dortmund/DE	
Micro vickers hardness of sintered Ag nano particles at elevated temperature and grain growth	353
T. Obara, H. Yamaguchi, Y. Miyazawa, A. Mochizuki and H. Kida, Kanagawa/JP	
Arc brazing of aluminum matrix composites using AlAgCu filler	357
M. Elssner, V. Fedorov, S. Weis and G. Wagner, Chemnitz/DE	
Characterisation of transient liquid phase bonding solidification processes with Sn-based rapidly solidified brazing ribbons for joining of aluminium cast alloy	362
K. Bobzin, M. Öte, S. Wiesner, L. Pongratz, J. Mayer, A. Aretz, R. Iskandar and A. Schwedt, Aachen/DE	
Influence of thermomechanical treatment on the liquid metal embrittlement of copper-brazed plate heat exchangers	368
T. Uhlig, S. Weis, and G. Wagner, Chemnitz/DE	
Soldering of diamond using Zn-15Al solder by applying ultrasonic vibration	372
K. Susukida, K. Tada and T. Yamazaki, Tokyo/JP	
Heat resistant joining of cBN grains using Zr and C by tungsten filament heating	378
H. Tozaki, H. Yamamoto and Y. Takahisa, Tokyo/JP	
Joining of magnesium alloy plate to stainless steel plate by spot brazing and analysis for interfacial structure ...	384
K. Yokota, H. Umemura and Y. Miyazawa, Kanagawa/JP	
Direct bonding of aluminium to copper using solid-liquid interdiffusion	388
J. P. Bergmann, F. Petzoldt, R. Schürer, A. Regensburg and K. Michels, Ilmenau/DE	
A study of the mechanical stability of silver brazing filler metals at elevated temperatures	393
R. Snell, P. Barmada, Z. Song, R. Goodall, Sheffield/UK, P. Webb and J. Willingham, Royston/UK	
In-situ synthesis of reinforcements in the filler layer for brazing of graphite to CuCrZr alloys	396
Y. Mao, K. Wang, S. Yu, Q. Deng and S. Wang, Wuhan/CN	
Effect of brazed layer thickness on interfacial reaction between WC-Co	401
R. Sakashita, T. Goto, M. Yasuyuki, and T. Takato, Kanagawa/JP	
Properties of selected nickel and iron base brazing filler metals	404
A. J. Battenbough, A. M. Osmanda, Swansea/UK, M. Weinstein, L. Lee and L. Johnson, Detroit/US	
List of authors	411