

Contents

Introduction	11
Logical dependence of the theorems	12
1. Formulation of results	13
1.1. Notation	13
1.2. Local results	14
1.3. Formulation of TATE's Theorem	15
1.4. First remarks and plan of proof	16
2. The cohomological dimension of G	17
2.1. The cohomology of the S -units	17
2.2. The usual cohomological dimension of G	20
2.3. Malleable groups	23
2.4. On the strict cohomological dimension of G	27
2.5. Modification of the class formation (G, C_S) and the universal norms of the S -idele class group	28
3. The global Euler-Poincaré characteristic	30
3.1. Formulation of the theorem	30
3.2. Proof step 1: Multiplicativity	30
3.3. Proof step 2: Behaviour in the case of induced modules	31
3.4. Proof step 3: Reduction to the case $M = \mu_p$	32
3.5. Proof step 4: Calculation of the Euler-Poincaré characteristic for μ_p	34
3.6. End of the proof	35
4. The Tate pairing	36
4.1. The homology of profinite groups	36
4.2. The proposition concerning TATE's pairing	40
4.3. On the "module dualisant" of a number field	44
4.4. Once again on the strict cohomological dimension of G	46
5. Proof of Tate's Theorem 3.1	51
5.1. The cohomology of $\text{Hom}(M, J_S)$	51
5.2. "Half" of the Tate sequence	53
5.3. Explicit description of the pairing from Theorem 3.1(a)	55
5.4. Proof of TATE's Theorem 3.1(c)	56
5.5. The exactness of the Tate sequence in the middle term	57
5.6. On the functorial behaviour of the Tate sequence	59

6.	On the maximal pro-p factor group of G	59
6.1.	First remarks	59
6.2.	Twisted action	60
6.3.	Proof of Proposition 22	61
7.	Remarks concerning the kernel of the map α_1	63
7.1.	A general method for determining $\text{Ker}^1(k_{\mathbb{K}}, M)$	63
7.2.	An algebraic consideration	65
7.3.	Construction of non-trivial kernels	66
8.	On the Scholz-Reichardt-Neukirch Proposition	68
8.1.	The central embedding problem for groups	68
8.2.	The central embedding problem for number fields	69
8.3.	The local case	69
8.4.	The global case	70
9.	Quantitative statements in the simple case of the constructional problem for finite p-groups	73
9.1.	Introductory remarks	73
9.2.	The Abelian case	73
9.3.	The simple case of a p -group — first remarks	75
9.4.	The simple case of a p -group — local questions	77
9.5.	The simple case of a p -group — global questions	79
9.6.	The simple case of a p -group — analytical part	80
9.7.	The simple case of a p -group — independence of the sum of constants	83
9.8.	Examples	85
	Bibliography	86
	Appendix 1. On p-extensions with given ramification (H. Koen)	
1.	Representations of pro-p-groups by generators and relations	89
1.1.	The generator rank	89
1.2.	Relation systems	90
2.	The group algebra of a pro-p-group	94
2.1.	Definition and basic properties of the completed group algebra	94
2.2.	Discrete and compact G -modules	96
2.3.	Characterisation of pro- p -groups with dimension 2	96
2.4.	Filtrations	98
2.5.	The completed group ring of a free pro- p -group	100
2.6.	Lazard filtrations	101
2.7.	The theorem of GOREN-SHIMURA-WEIL	102
2.8.	The structure of the relations and the cup-product	106
3.	The maximal p-extension of a p-adic number field	109
4.	The maximal p-extension with given ramification	112

5.	Generator rank	117
6.	The case $k = \mathbf{Q}$	119
7.	The 2-class field tower of a quadratic number field	122
	Bibliography	125
	Appendix 2. Etale cohomology and duality in number fields (TH. ZINK)	
1.	Etale topology of algebraic number fields	127
2.	Cohomology	131
3.	Artin-Verdier duality	137
	Bibliography	145